

COLLECTIONS BOOK

gorenje KERAMIKA

gorenje KERAMIKA

Gorenje Keramika, d.o.o.

Sedež / Headquarters: Partizanska cesta 12, 3320 Velenje, Slovenija

Lokacija / Location: Gorenje 1/b, 3327 Šmartno ob Paki, Slovenija

T: +386 (0)3 896 61 10

F: +386 (0)3 896 61 13

E: keramika@gorenje.com

W: <https://www.keramika-gorenje.si/>
<https://ceramics-gorenje.com/>



gorenje KERAMIKA

O nas | About Us

PRIZNANA BLAGOVNA ZNAMKA V REGIJI ŽE OD 1974

Gorenje Keramika, d.o.o., ki je del skupine Hisense Europe, je z dolgoletnimi izkušnjami edino podjetje v Sloveniji, specializirano za proizvodnjo keramičnih ploščic. Hkrati smo eden najbolj prepoznavnih ponudnikov na trgih srednje in vzhodne Evrope. Naša ponudba izdelkov vključuje glazirane porcelanske ploščice in stenske keramične ploščice v različnih formatih, efektih in barvah.

SODOBNO. BREZČASNO. ELEGANTNO.

Zemlja, ogenj, znanje in naključje - štirje ključni dejavniki, ki jih Gorenje Keramika že od leta 1974 preučuje in prepleta v premišljen dizajn. Z vsem srcem smo predani vašemu življenjskemu slogu in vedno tukaj, da zagotovimo varnost in udobje, ki ga pričakujete. Vsaka kolekcija je artikulirana z mislijo na estetiko in spreminjajoče se družinske rituale – od otroštva do starševstva. S prefinjeno mešanico, ki jo navdihuje materialna privlačnost lesa, kamna, marmorja, cementa in terakote, ter pozornostjo do sodobnih trendov, smo idealni zaveznik, ko gre za izpopolnjevanje oblik lepote, ki vam prinašajo veselje.

RECOGNISED TRADEMARK IN THE REGION SINCE 1974

With decades of experience, Gorenje Keramika, d.o.o., a part of Hisense Europe Group, is the only company in Slovenia that specializes in production of ceramic tiles. At the same time we are one of the most recognizable suppliers in the markets of Central and Eastern Europe. Our range of products includes glazed porcelain tiles and ceramic wall tiles in various formats, finishes and colors.

CONTEMPORARY. TIMELESS. BEAUTIFUL.

Earth, fire, knowledge and coincidence - four key factors that have been studied in Gorenje Keramika since 1974 and woven into thoughtful design. We are wholeheartedly committed to your lifestyle and always here to ensure safety and convenience in your home as well as continuously provide the comfort you expect. Each collection is articulated with aesthetic and all changing family rituals in mind – from childhood to parenthood. With a sophisticated mix inspired by materic appeal of wood, stone, marble, cement and terracotta, interplayed with the attention towards contemporary trends, we are an ideal liaison when comes to refining forms of beauty that bring you joy.





RAZVOJNA USMERITEV

Razvoj podjetja je usmerjen v zadovoljstvo kupcev in tehnološke inovacije. S takšnim pristopom si Gorenje Keramika utrjuje prepoznavnost ter krepi konkurenčnost na ciljnih trgih.

Gorenje Keramika nenehno investira v najsodobnejše tehnologije v proizvodnji keramičnih ploščic. Temu primerno, podjetje ponuja sodobno paleto izdelkov, namenjenih nenehnemu izboljševanju in zadovoljevanju najzahtevnejših potreb trga in kupcev.

DEVELOPMENT POLICY

The development of the company is aimed at customer satisfaction and technological innovation. With such approach, Gorenje Keramika is strengthening its visibility and enhancing its competitiveness in target markets.

Gorenje Keramika is continuously making investments in the latest technologies in ceramic tile production. Therefore, Gorenje Keramika offers a modern range of products intended for continuous improvement and satisfaction of the most demanding needs of the market and the customers.

TRAJNOSTNI RAZVOJ

Zavezanost podjetja varovanju in ohranjanju okolja izhaja iz prepričanja, da je trajnostni razvoj obveznost za vse nas.

Okolju prijazne ploščice Gorenje Keramika pomenijo našo zavezanost trajnostnemu razvoju okolja, prisotno v vsakem izdelku in vseh fazah proizvodnje, vključno z distribucijo in življenjskim ciklom izdelka.

SUSTAINABLE DEVELOPMENT

The company's commitment to protecting and preserving the environment is based on the belief that sustainable development is our common obligation.

The environmentally friendly tiles from Gorenje Keramika represent our commitment to the sustainable development of the environment, which is present in every product and all stages of production, including the distribution and life cycle of the product.

DRUŽBENA ODGOVORNOST

Kot družbeno odgovorno podjetje sledimo etičnim načelom korektnosti, transparentnosti, spoštovanja interesov deležnikov in koristi širše skupnosti.

Prizadevanje za javno dobro uresničujemo tudi v obliki donacij, s katerimi smo osrečili marsikatero družino, ki se je znašla v hudi življenjski stiski in sodelovanjem z izobraževalnimi inštitucijami, ki skrbijo za razvoj mladih keramičarskih strokovnjakov. Zaradi vseh teh dejanj smo vsak dan boljši ljudje, sodelavci in navsezadnje družbeno odgovorni člani skupnosti.

CORPORATE SOCIAL RESPONSIBILITY

As a socially responsible company, we follow the basic principles of responsibility, transparency, ethical conduct, respect for the interests of stakeholders and also strive to invest in the community in the form of donations. With our products we have made many families, who have found themselves in severe life hardship, happy. We are constantly involved with educational institutions that take care of the development of young ceramic professionals. Because of all these actions, we are better people, co-workers and, ultimately, socially responsible members of the community every day.

SPLOŠNO KAZALO

General Index

O NAS	4-7
About Us	4-7
KAZALO PO FORMATIH	9
Index By Formats	9
ABECEDNO KAZALO	10
Alphabetical Index	10
SIMBOLI	11
Symbols	11
RAZLAGA STRANI	12-13
How to Use This Book	12-13
NOTRANJE STENSKÉ PLOŠČICE	14-69
Indoor Wall Tiles	14-69
GLAZIRANE PORCELANSKE PLOŠČICE	70-117
Glazed Porcelain Tiles	70-117
KUHINJSKI PROGRAM	118-125
Kitchen Programme	118-125
PROJEKTNE PLOŠČICE	126-131
Project Tiles	126-131
VEČ BARVNIH KOMBINACIJ: Stena-Tla	132-135
More Color Combinations: Wall-Floor	132-135
TEHNIČNE INFORMACIJE	138-142
Technical Information	143-147
NAVODILA IN NASVETI	148-149
Installation Guide and Advice	150-151
PRIPOROČENI NAČINI POLAGANJA	152
Laying Solutions	152
LOGISTIČNI PODATKI	153-154
Logistical Data	153-154
DODATNE INFORMACIJE	154
Additional Information	154

CONTEMPORARY.
TIMELESS.
BEAUTIFUL.

Tiles distinguished by their modern design with a hint of timelessness.

KAZALO PO FORMATIH

Index by Formats

Notranje stenske ploščice

Indoor Wall Tiles

25 x 75 cm
9.8" x 29.5"

AGRA	16-17
VALLETTA	18-19
NOSTALGIA	20-21

25 x 60 cm
9.8" x 23.6"

AQUARELLE	22-25
ATLANTA	26-29
DALIA	30-31
EAGLE	32-33
DESIRE	34-35
SURFACE	36-37
ONICE	38-39
VISUAL	40-41
STATUARIO	42-45
IBIZA	46-47
LUX	48-51
BLOSSOM	52-55
LUCY	52-57
DREAM	58-59
STREAMS	60-61

20 x 50 cm
7.8" x 19.6"

ETNA	62-63
ADORE	64-67
SENSO	68-69

Kuhinjski program

Kitchen Programme

25 x 60 cm
9.8" x 23.6"

LUX	121
STATUARIO	121
STREAMS	121
BLOSSOM	121
AQUARELLE	123
ATLANTA	123
SURFACE	123
VISUAL	123

30 x 60 cm
11.8" x 23.6"

TERRAZZO BEIGE	125
ICELAND SILK	125

58,5 x 58,5 cm
23" x 23"

ALASKA	125
--------	-----

Glazirane porcelanske ploščice

Glazed Porcelain Tiles

22,5 x 90 cm
8.9" x 35.4"

NORDIC	72-73
NATIVE	74-75
RUSTIC	76-77
EXOTIC	78-79

30 x 60 cm
11.8" x 23.6"

ASPEN	80-81
LEGEND	82-83
FOREST	84-85
FUSION	86-87
MOON	88-89
TERRAZZO	90-91
FENIX	92-93
VICENZA	94-95
NAXOS	96-97
ICELAND	98-99
FINESTONE	100-101
FOSSIL	102-103
TAURUS	104-105
CEMENT	106-107

58,5 x 58,5 cm
23.0" x 23.0"

ALASKA	108-109
ANDROMEDA	110-111
SIRIUS	112-113
URBAN	114-115
COTTO	116-117

Projektne ploščice

Project Tiles

25 x 75 cm
9.8" x 29.5"

AGRA	129
------	-----

25 x 60 cm
9.8" x 23.6"

DREAM	129
LUCY	129
STATUARIO	129
LUX	129
ATLANTA	131
ONICE	131
VISUAL	131
SURFACE	131
DESIRE	131

30 x 60 cm
11.8" x 23.6"

TERRAZZO GREY	131
ICELAND SILK	131

ABECEDNO KAZALO

Alphabetical Index

A

ADORE 52 BEIGE	65
ADORE 52 BROWN	65
ADORE 52 GREY	67
ADORE 52 WHITE	67
ADORE BEIGE DC FLOWER A	65
ADORE BEIGE DC FLOWER B	65
ADORE BEIGE DC FLOWER C	65
ADORE BEIGE DC MOSAIC	65
ADORE BEIGE DC WAVES	65
ADORE BEIGE L LINES	65
ADORE BROWN L LINES	65
ADORE GREY L LINES	67
ADORE WHITE DC FLOWER A	67
ADORE WHITE DC FLOWER B	67
ADORE WHITE DC FLOWER C	67
ADORE WHITE DC MOSAIC	67
ADORE WHITE DC WAVES	67
ADORE WHITE L LINES	67
AGRA 75 BEIGE	17
AGRA 75 BROWN	17
AGRA 75 GREY	17
AGRA 75 WHITE	17, 129
AGRA BEIGE DC WAVES 3D	17
AGRA BEIGE DC WOOD 3D	17
AGRA WHITE DC WAVES 3D	17
AGRA WHITE DC WOOD 3D	17
ALASKA WHITE	109, 125
ANDROMEDA BONE	111
AQUARELLE DC JUNGLE	23, 25, 123
AQUARELLE DC MOSAIC 3D	23, 25, 123
AQUARELLE DC TROPIC 3D	23, 25, 123
ASPEN BROWN	81
ASPEN GREY	81
ATLANTA 65 BEIGE	25, 29
ATLANTA 65 BLUE	23, 27
ATLANTA 65 GREY	23, 27
ATLANTA 65 SAGE	25, 29
ATLANTA 65 TAN	25, 29
ATLANTA 65 WHITE	23, 27, 131
ATLANTA BEIGE DC MOSAIC 3D	29, 123
ATLANTA BEIGE DC TROPIC 3D	29
ATLANTA WHITE DC MOSAIC 3D	27, 123, 131
ATLANTA WHITE DC TROPIC 3D	27

B

BLOSSOM 65 BEIGE	55
BLOSSOM 65 BLUE	55, 145
BLOSSOM 65 BROWN	55
BLOSSOM B-B-W MOSAIC 1	55
BLOSSOM BEIGE DC FLOWER	55
BLOSSOM BEIGE DC PATCHWORK	55
BLOSSOM BEIGE DC WAVES 3D	55
BLOSSOM BEIGE L FLOWER	55
BLOSSOM W-B-W MOSAIC 1	53
BLOSSOM WHITE DC FLOWER	53
BLOSSOM WHITE DC PATCHWORK	53, 121
BLOSSOM WHITE DC WAVES 3D	53, 57
BLOSSOM WHITE L FLOWER	53

C

CEMENT GREY	107
CEMENT TAUPE	107
COTTO ROSSO	117

D

DALIA BEIGE DC FLOWER 3D	31
DALIA BEIGE DC LINES 3D	31
DALIA BEIGE DC MOSAIC 3D	31
DALIA WHITE DC FLOWER 3D	31
DALIA WHITE DC LINES 3D	31
DALIA WHITE DC MOSAIC 3D	31
DESIRE 65 BEIGE	31, 35
DESIRE 65 GREY	35
DESIRE 65 WHITE	31, 131
DESIRE BEIGE DC LEVELS 3D	35
DESIRE GREY DC LEVELS 3D	35
DREAM 65 COFFEE	59
DREAM 65 LIGHT COFFEE	59
DREAM 65 WHITE	59, 129
DREAM C-F MOSAIC 1	59
DREAM COFFEE DC FLOWER	59
DREAM COFFEE L FLOWER	59
DREAM LC-F MOSAIC 1	59
DREAM LIGHT COFFEE DC FLOWER	59
DREAM LIGHT COFFEE L FLOWER	59
DREAM W-F MOSAIC 1	59
DREAM WHITE DC FLOWER	59
DREAM WHITE L FLOWER	59

E

EAGLE 65 BEIGE	33
----------------	----

EAGLE 65 GREY	33
EAGLE BEIGE DC LINES 3D	33
EAGLE BEIGE DC MIX 3D	33
EAGLE BEIGE DC WOOD 3D	33, 35
EAGLE GREY DC LINES 3D	33
EAGLE GREY DC MIX 3D	33
EAGLE GREY DC WOOD 3D	33, 35
ETNA 52 BEIGE	63
ETNA 52 BROWN	63
ETNA 52 GREY	63
ETNA 52 WHITE	63
ETNA BEIGE DC FLOWER	63
ETNA BEIGE DC MOSAIC	63
ETNA WHITE DC FLOWER	63
ETNA WHITE DC MOSAIC	63
EXOTIC PINE	79
EXOTIC OAK	79
EXOTIC LARCH	79
EXOTIC CHESTNUT	79

F

FUSION PINE	87
FUSION OAK	87
FUSION LARCH	87
FUSION CHESTNUT	87
FENIX WHITE	93
FENIX TAUPE	93
FENIX GRAPHITE	93
FINESTONE BEIGE	101
FINESTONE BROWN	101
FINESTONE LIGHT GREY	101
FINESTONE WHITE	101
FOREST BROWN	85
FOREST GREY	85
FOREST OAK	85
FOREST WHITE	85
FOSSIL COTTO	103
FOSSIL SAND	103

I

IBIZA 65 COFFEE	49
IBIZA 65 GREY	49
IBIZA 65 LATTE	49
IBIZA 65 WHITE	49
IBIZA LATTE DC GEO 3D	49
IBIZA LATTE DC TROPIC	49
IBIZA WHITE DC GEO 3D	49
IBIZA WHITE DC TROPIC	49
ICELAND CREAM	99
ICELAND MIST	99
ICELAND SAND	99
ICELAND SILK	99, 125, 131

L

LEGEND OAK	83
LEGEND PINE	83
LUCY 65 VIOLET	57
LUCY 65 WHITE	53, 57, 129
LUCY VIOLET L MESH	57
LUCY W-V-M MOSAIC 1	57
LUCY WHITE DC FLOWER	57
LUCY WHITE DC MESH	59
LUCY WHITE L MESH	57
LUX 65 BEIGE	51
LUX 65 BLUE	49
LUX 65 WHITE	49, 129
LUX BEIGE DC BRICK 3D	51, 121
LUX BLACK DC BRICK 3D	45, 51, 121
LUX DC MOSAIC 3D	49, 51, 121
LUX WHITE DC BRICK 3D	49, 121

M

MARBLE 65 BLACK	43
MOON ASH	89
MOON PEARL	89

N

NATIVE ALMOND	75
NATIVE IVORY	75
NATIVE OAK	75
NAXOS SMOKE	97
NORDIC PINE	73
NORDIC WHITE	73
NOSTALGIA 75 WHITE	21
NOSTALGIA WHITE DC FLOWER	21

O

ONICE 65 BEIGE	39
----------------	----

ONICE 65 WHITE39, 131	ONICE BEIGE DC ROMB 3D	39
ONICE BEIGE DC TROPIC	39	
ONICE WHITE DC ROMB	39	
ONICE WHITE DC TROPIC	39	

R

RUSTIC GREY	77
RUSTIC OAK	77
RUSTIC WHITE	77

S

SENSO 52 GREY	69
SENSO 52 WHITE	69
SENSO WHITE DC ARABESQUE	69
SENSO WHITE DC GEOMETRIC	69
SENSO WHITE DC MOSAIC	69
SENSO WHITE L ARABESQUE	69
SIRIUS PEARL	113
STATUARIO 65 WHITE	43, 45, 121, 129
STATUARIO DC GEOMETRIC 3D	43, 121
STATUARIO DC MOSAIC 3D	43, 121
STATUARIO DC WAVES	43, 121
STREAMS 65 BROWN	61
STREAMS 65 GREY	61
STREAMS 65 WHITE	61, 121
STREAMS W-B MOSAIC 1	61
STREAMS W-G MOSAIC 1	61
STREAMS WHITE DC LINES	61
STREAMS WHITE DC PATCHWORK	61, 121
STREAMS WHITE L GEOMETRIC	61
STREAMS WHITE L PATCHWORK	61
SURFACE 65 BEIGE	37
SURFACE 65 WHITE	37, 131
SURFACE BEIGE DC PATCHWORK 3D	37, 123
SURFACE BEIGE DC WAVES 3D	37
SURFACE GREY DC PATCHWORK 3D	37

T

TAURUS ANTRACITE	105
TAURUS PEARL	105
TAURUS SAND	105
TERRAZZO BEIGE	91, 125
TERRAZZO GRAPHITE	91
TERRAZZO GREY	91, 131

U

URBAN GREY	115
------------	-----

V




VALLETTA 75 BEIGE	19
VALLETTA 75 GREY	19
VALLETTA BEIGE DC HEXA 3D	19
VALLETTA BEIGE DC MOSAIC 3D	19
VALLETTA BEIGE DC WAVES 3D	19
VALLETTA GREY DC HEXA 3D	19
VALLETTA GREY DC MOSAIC 3D	19
VALLETTA GREY DC WAVES 3D	19
VICENZA BEIGE	95
VICENZA GREY	95
VISUAL 65 GREY	41
VISUAL 65 TAUPE	41
VISUAL 65 WHITE	41, 131
VISUAL GREY DC BRICK 3D	41
VISUAL GREY DC LINES 3D	41
VISUAL TAUPE DC BRICK 3D	41, 123
VISUAL TAUPE DC LINES 3D	41
VISUAL WHITE DC PATCHWORK	41, 123

SIMBOLI

Symbols

Simboli spodaj označujejo tehnične značilnosti in priporočene pogoje uporabe.

Symbols Below Indicate the Technical Features and the Recommended Use Conditions.

	Stenska ploščica / Wall Tile		V3 Ploščice z zmerno razgibanim odtenkom ali vzorcem / Tiles With Moderate Shade or Graphic Variation
	Talna ploščica / Floor Tile		V4 Ploščice z veliko razgibanostjo v odtenku ali vzorcu / Tiles With Stronger Shade or Graphic Variation
	Dekorna ploščica / Decor Tile (m ²)		Paket / Box
	Dekorna ploščica / Decor Tile (kos/pcs)		Paleta / Pallet
	3D struktura / 3D Structure		Dolžina in širina / Length and Width
	Listela / Listello		Debelina / Thickness
	Mozaik 1 / Mosaic 1		Ravnost robov / Straightness of Sides
	Možnost razreza / Cutting Option		Pravokotnost / Rectangularity
	Število različnih lic / Number of Different Faces		Ravnost površine / Surface Flatness
	Odpornost proti zmrzovanju / Frost Resistance		Vpijanje vode / Water Absorption
	Primerno za zunanje površine / Suitable for Outdoor Areas		Upogibna trdnost / Modulus of Rupture
	Primerno za bivalne površine / Suitable for Residential Areas		Zlomna sila / Breaking Strength
	Razred drsnosti / Slipperiness		Odpornost proti lasastim razpokam / Crazing Resistance
	Razred drsnosti na mokri podlagi / Slipperiness on Wet Surfaces		Odpornost proti madežem / Resistance to Staining
	Odpornost proti obrabi / Abrasion Resistance		Odpornost proti nizkim koncentracijam kislin in alkalij / Resistance to Low Acid and Alkaline Concentrations
	Razred drsnosti / Slipperiness		Odpornost proti hitrim temperaturnim razlikam / Thermal Shock Resistance
	Mat ploščica / Matt Tile		Notranja stenska ploščica / Indoor Wall Tile
	Sijajna ploščica / Glossy Tile		Glazirana porcelanska ploščica / Glazed Porcelain Tile
	Sijajna in mat ploščica / Glossy and Matt Tile		
	V1 Ploščice z enotnim izgledom / Tiles With Uniformed Appearance		
	V2 Ploščice z rahlo razgibanim odtenkom ali vzorcem / Tiles With Slight Shade or Graphic Variation		

LUX

Notranje stenske ploščice | Indoor Wall Tiles

Kolekcija Lux združuje lepoto majolika stila tradicionalne keramike in sodobno digitalno tehnologijo. Kombinacija gladke in 3D ploščice s strukturo majhnih opek ustvarja na stenah čudovito igro svetlobe in senc. Sijajna površina in naravno razgiban vzorec reproducira videz in občutek ročno izdelanih ploščic z brezčasno eleganco v beli, bež ali žlahtni turkizno modri barvi.

Collection Lux unites the beauty of majolica style traditional ceramics and contemporary digital technology. The combination of flat and 3D surface with small brick shapes creates unique interplay of light and shadows. Glossy surface and natural design reproduce the look and feel of handmade tiles with timeless elegance in white, warm beige and precious turquoise blue color.

OPIS KOLEKCIJE
Collection Description

AMBIENT
Ambiance Picture



Lux White DC Brick 3D, Lux 65 Blue, Moon Pearl, Moon Ash

PLOŠČICE V AMBIENTU
Tiles in Ambiance

ŠTEVILKA STRANI
Page Number

24

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description								
		cm	kos / pcs	m ² / Mq	kg	paketo / boxes	m ² / Mq	kg	
Stenska ploščica Wall Tile		25x60	9	1,35	20,60	64	86,40	1.320	
3D struktura 3D Structure		25x60	8	1,20	19,90	32	38,40	620	

LOGISTIČNI PODATKI
Logistic Data

DIMENZIJA
Dimension

IME KOLEKCIJE
Name of The Collection

VRSTA POVRŠINE
Surface Type

SIMBOLI
Symbols

QR KODA
skeneraj jo za ogled kolekcije na spletu
QR Code
scan it to see the collection online


LUX

- Notranje stenske ploščice | Indoor Wall Tiles
- Gladka ali reliefna površina | Smooth or Structured Surface
- 25x60 cm | 9.8"x 23.6"

- Primerno za bivalne površine | Suitable for Residential Areas
- Stenska ploščica | Wall Tile
- Sijajna ploščica | Glossy Tile




BARVE | COLORS



927362 LUX 65 WHITE



927365 LUX WHITE DC BRICK 3D



927364 LUX 65 BLUE



927431 LUX BLACK DC BRICK 3D



927368 LUX DC MOSAIC 3D

IME PLOŠČICE
Tile Name

3D
STRUKTURA
3D Structure

KODA
ARTIKLA
Article Code

SKUPINA
IZDELKA
Product
Typology

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 134
more information on pg. 134



927665
ALASKA WHITE
stran | page: 109



927669
SIRIUS PEARL
stran | page: 113



927666
URBAN GREY
stran | page: 115



925751
ICELAND MIST
stran | page: 99

TALNE PLOŠČICE
Floor Tiles

VEČ BARVNIH
MOŽNOSTI
More Color
Options

NOTRANJE STENSKE PLOŠČICE

Indoor Wall Tiles

DIMENZIJE | Dimensions

25 x 75 cm | 9.8"x 29.5"

25 x 60 cm | 9.8"x 23.6"

20 x 50 cm | 7.8"x 19.6"

Listela / Listello

5 x 60 cm | 1.9"x 23.6"

4,5 x 60 cm | 8.9"x 23.6"

5 x 50 cm | 1.9"x 19.6"

Mozaik / Mosaic

30 x 30 cm | 11.8"x 11.8"

Notranje stenske ploščice | Indoor Wall Tiles

Reliefna ali gladka površina
Structured or Smooth Surface


Različna grafična lica | DifferentFaces

Mat ali sijajno
Matt or Glossy

Skladno z zahtevami standarda SIST EN 14411, aneks L skupina BIII
Classification in Accordance With SIST EN 14411 Annex L Group BIII


KAZALO PO TIPU IZDELKA IN FORMATU

Index by Typology and Formats




Les Wood

<u>NOSTALGIA</u>	20-21
<u>DALIA</u>	30-31
<u>DESIRE</u>	34-35




Kamen Stone

<u>VALLETTA</u>	18-19
<u>EAGLE</u>	32-33
<u>ONICE</u>	38-39
<u>STATUARIO</u>	42-45
<u>STREAMS</u>	60-61
<u>ETNA</u>	62-63



Cement Concrete

<u>AGRA</u>	16-17
<u>SURFACE</u>	36-37
<u>VISUAL</u>	40-41
<u>IBIZA</u>	46-47
<u>SENSO</u>	68-69



Barvito Colorful

<u>AQUARELLE</u>	22-25
<u>ATLANTA</u>	26-29
<u>LUX</u>	48-51
<u>BLOSSOM</u>	52-55
<u>LUCY</u>	56-57




Enobarvno Monocolor

<u>SURFACE</u>	36-37
<u>DREAM</u>	58-59
<u>ADORE</u>	64-67



3D stena 3D Wall

<u>AGRA</u>	16-17
<u>VALLETTA</u>	18-19
<u>AQUARELLE</u>	22-25
<u>ATLANTA</u>	26-29
<u>DALIA</u>	30-31
<u>EAGLE</u>	32-33
<u>DESIRE</u>	34-35
<u>SURFACE</u>	36-37
<u>ONICE</u>	38-39
<u>VISUAL</u>	40-41
<u>STATUARIO</u>	42-45
<u>IBIZA</u>	46-47
<u>LUX</u>	48-51



25 x 75 cm 9.8"x 29.5"

<u>AGRA</u>	16-17
<u>VALLETTA</u>	18-19
<u>NOSTALGIA</u>	20-21



25 x 60 cm 9.8"x 23.6"

<u>AQUARELLE</u>	22-25
<u>ATLANTA</u>	26-29
<u>DALIA</u>	30-31
<u>EAGLE</u>	32-33
<u>DESIRE</u>	34-35
<u>SURFACE</u>	36-37
<u>ONICE</u>	38-39
<u>VISUAL</u>	40-41
<u>STATUARIO</u>	42-45
<u>IBIZA</u>	46-47
<u>LUX</u>	48-51
<u>BLOSSOM</u>	52-55
<u>LUCY</u>	56-57
<u>DREAM</u>	58-59
<u>STREAMS</u>	60-61



20 x 50 cm 7.8"x 19.6"

<u>ETNA</u>	62-63
<u>ADORE</u>	64-67
<u>SENSO</u>	68-69

AGRA






Notranje stenske ploščice | Indoor Wall Tiles

Univerzalna kolekcija, ki omogoča interpretacijo različnih stilov, od klasičnih do modernih. Minimalističen cementni vzorec in nevtralni topli toni ustvarjajo naravno privlačnost in brezčasno udobje, idealno za sodobne načine bivanja. Valovita 3D struktura lahko razgiba sicer minimalističen ambient z dodatno dimenzijo, 3D mozaik pa jo nadgrajuje še z bogatim vzorcem naravnega lesa. Kolekcija je premišljeno tonsko usklajena za kombiniranje s talnimi oblogami in pohištvom v videzu lesa, kar zagotavlja naravno eleganco vsakega prostora.

Universal collection, that enables interpretation of various styles, from classical to modern. Minimalistic cement design and neutral warm tones create natural attractiveness and timeless comfort, ideal for contemporary living. Wavy 3D structure brings movement to otherwise minimalistic spaces with additional dimension, while 3D mosaic upgrades it with a rich pattern of natural wood. Collection is thoughtfully harmonized for combinations with floor coating and furniture with wooden appearance, which guarantees the natural elegance for every space.






Agra 75 Beige, Agra Beige DC Wood 3D, Nordic Pine

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x75	8	1,50	23,30	42	63,00	980
3D struktura 3D Structure		25x75	7	1,31	21,70	28	36,68	620




AGRA

Notranje stenske ploščice | Indoor Wall Tiles
 Gladka ali reliefna površina | Smooth or Structured Surface
 25x75 cm | 9.8"x 29.5"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Mat ploščica | Matt Tile

BARVE | COLORS




924594 AGRA 75 BEIGE



924598 AGRA 75 WHITE



924595 AGRA 75 BROWN



924599 AGRA 75 GREY



924596 AGRA BEIGE DC WAVES 3D



924600 AGRA WHITE DC WAVES 3D



924706 AGRA BEIGE DC WOOD 3D



924707 AGRA WHITE DC WOOD 3D

Priporočene talne ploščice | Recommended Floor Tiles


VEČ INFORMACIJ NA STR. 133
 more information on pg. 133



924062
 TERRAZZO BEIGE
 stran | page: 91



924678
 NORDIC PINE
 stran | page: 73



927669
 SIRIUS PEARL
 stran | page: 113



924677
 NORDIC WHITE
 stran | page: 73

VALLETTA






Notranje stenske ploščice | Indoor Wall Tiles

Imitacija kamna s svojo naravno eleganco dobi rahlo rustičen izraz v treh različnih dekorjih, ki združujejo strukturo z dizajnom in njegovimi drobnimi nepravilnostmi ter nekoliko obrabljenimi detajli. Te površine se odlično ujemajo z lesom ali kamnom in lahko ustvarijo občutek naravnega minimalizma ali pa vzdusje starodavnega prestiža s sodobnim pridihom.

The stone effect surface with its natural elegance gets slightly rustic expression in three different decorations that combine relief technique and design with its slight irregularities and worn details. These surfaces work beautifully with wood or stone and can create a feeling of natural minimalism as well as a sense of ancient luxury with contemporary touch.






Valleta 75 Beige, Valletta Beige DC Waves 3D, Nordic Pine, Terrazzo Beige


RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	pakotov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x75	8	1,50	23,30	42	63,00	980
3D struktura 3D Structure		25x75	7	1,31	21,70	28	36,68	620



Notranje stenske ploščice | Indoor Wall Tiles
 Gladka ali reliefna površina | Smooth or Structured Surface
 25x75 cm | 9.8"x 29.5"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Mat ploščica | Matt Tile

BARVE | COLORS



924602 VALLETTA 75 BEIGE



924606 VALLETTA 75 GREY



924603 VALLETTA BEIGE DC WAVES 3D




924607 VALLETTA GREY DC WAVES 3D



924605 VALLETTA BEIGE DC MOSAIC 3D



924609 VALLETTA GREY DC MOSAIC 3D




924604 VALLETTA BEIGE DC HEXA 3D



924608 VALLETTA GREY DC HEXA 3D

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 133
 more information on pg. 133



925753 ICELAND SAND
 stran | page: 99



924678 NORDIC PINE
 stran | page: 73



924063 TERRAZZO GREY
 stran | page: 91



924677 NORDIC WHITE
 stran | page: 73

NOSTALGIA







Notranje stenske ploščice | Indoor Wall Tiles

Nostalgia slavi lepoto in bogastvo detajlov, ki jih povzročajo vpliv časa. Obrabljen videz beljenih lesenih desk daje s svojim kremnim tonom ambientu mehko in toplino. Tovrstne teksture se odlično ujemajo z materiali in opremo s pridihom starinskega, saj zaokrožijo 'vintage' stil ambienta, ki je že nekaj časa eden od najbolj priljubljenih sodobnih stilov.

Nostalgia celebrates beauty and richness of details, caused by time passing. Worn out look of bleached wooden planks with its creamy tone gives ambiances softness and warmth. These textures interact beautifully with materials and accessories with a vintage flavor, which is for some time now one of the most popular contemporary styles.






Nostalgia 75 White, Nostalgia White DC Flower, Nordic Pine

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x75	8	1,50	23,30	42	63,00	980
Dekorna ploščica Decor Tile (m ²)		25x75	8	1,50	21,70	28	42,00	620
Odpornost proti zmrzovanju Frost Resistance		22,5x90	6	1,215	23,10	54	65,610	1.210
		30x60	7	1,26	22,20	60	75,60	1.330
		58,5 x 58,5	4	1,369	26,60	32	43,808	850



NOSTALGIA


Notranje stenske ploščice | Indoor Wall Tiles
 Gladka površina | Smooth Surface
 25x75 cm | 9.8"x 29.5"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Mat ploščica | Matt Tile

BARVE | COLORS



925783 NOSTALGIA 75 WHITE



925784 NOSTALGIA WHITE DC FLOWER

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 133
 more information on pg. 133



927666 URBAN GREY 58,5x58,5 cm
 stran | page: 115



925750 ICELAND SILK 30x60 cm
 stran | page: 99



927377 MOON PEARL 30x60 cm
 stran | page: 89



924678 NORDIC PINE 22,5x90 cm
 stran | page: 73

AQUARELLE





Notranje stenske ploščice | Indoor Wall Tiles

Aquarelle dekorji prinašajo novo dimenzijo barve s tropskimi in geometričnimi motivi. Predstavljajo nadgradnjo minimalističnih osnovnih ploščic Atlanta v naravnih pastelnih tonih, razširjenih z nebesno modro in 'sage' zeleno. Dekorji sledijo stilu tropskega modernizma, ki oblači celotne stene v barvite in razgibane motive tropskega pragozda. 3D mozaik predstavlja akvarelno poslikavo, ki sledi moderni geometrični 3D strukturi in je obogaten še s sijaj-mat efektom. To so resnično unikatni kosi s poudarjeno osebno noto in umetniškimi pridihom, ki ustvarjajo nepozabne prostore.

Aquarelle decoration brings color to another level with multicolored tropical and geometrical style design. It is a trendy upgrade of minimalist Atlanta base tiles in natural pastel colors with addition of beautiful sky blue and sage green. Tropical modernism style decors can cover full wall and functions as wallpaper. 3D mosaic embrace the details of aquarelle painting, that follows modern geometric structure and is enrich by mat-glossy effect. This are really unique pieces with personal touch and artistic flavor that creates unforgettable spaces






Aquarelle DC Mosaic 3D, Atlanta 65 Blue, Atlanta 65 White, Alaska White

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x60	9	1,35	20,60	64	86,40	1.320
Dekorna ploščica Decor Tile (m ²)	DC	25x60	9	1,35	20,00	32	43,20	620
3D struktura 3D Structure	3D	25x60	8	1,20	19,90	32	38,40	620




AQUARELLE

Notranje stenske ploščice | Indoor Wall Tiles
 Gladka ali reliefna površina | Smooth or Structured Surface
 25x60 cm | 9.8"x 23.6"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Mat ploščica | Matt Tile


BARVE | COLORS



926626 ATLANTA 65 WHITE




927253 AQUARELLE DC MOSAIC 3D



926627 ATLANTA 65 BLUE



927252 AQUARELLE DC TROPIC 3D



926628 ATLANTA 65 GREY




927251 AQUARELLE DC JUNGLE

Priporočene talne ploščice | Recommended Floor Tiles


VEČ INFORMACIJ NA STR. 133
 more information on pg. 133



927665 ALASKA WHITE
 stran | page: 109



927669 SIRIUS PEARL
 stran | page: 113



927666 URBAN GREY
 stran | page: 115



927387 EXOTIC PINE
 stran | page: 79

AQUARELLE

Notranje stenske ploščice | Indoor Wall Tiles

Aquarelle dekorji prinašajo novo dimenzijo barve s tropskimi in geometričnimi motivi. Predstavljajo nadgradnjo minimalističnih osnovnih ploščic Atlanta v naravnih pastelnih tonih, razširjenih z nebesno modro in 'sage' zeleno. Dekorji sledijo stilu tropskega modernizma, ki oblači celotne stene v barvite in razgibane motive tropskega pragozda. 3D mozaik predstavlja akvarelno poslikavo, ki sledi moderni geometrični 3D strukturi in je obogaten še s sijaj-mat učinkom. To so resnično unikatni kosi s poudarjeno osebno noto in umetniškim pridihom, ki ustvarjajo nepozabne prostore.

Aquarelle decoration brings color to another level with multicolored tropical and geometrical style design. It is a trendy upgrade of minimalist Atlanta base tiles in natural pastel colors with addition of beautiful sky blue and sage green. Tropical modernism style decors can cover full wall and functions as wallpaper. 3D mosaic embrace the details of aquarelle painting, that follows modern geometric structure and is enrich by mat-glossy effect. This are really unique pieces with personal touch and artistic flavor that creates unforgettable spaces






Aquarelle DC Tropic 3D

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description	■	📦	📊				
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile	👤	25x60	9	1,35	20,60	64	86,40	1.320
Dekorna ploščica Decor Tile (m ²)	DC	25x60	9	1,35	20,00	32	43,20	620
3D struktura 3D Structure	3D	25x60	8	1,20	19,90	32	38,40	620




AQUARELLE

Notranje stenske ploščice | Indoor Wall Tiles
 Gladka ali reliefna površina | Smooth or Structured Surface
 25x60 cm | 9.8"x 23.6"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Mat ploščica | Matt Tile

BARVE | COLORS



926629 ATLANTA 65 BEIGE



927253 AQUARELLE DC MOSAIC 3D



926630 ATLANTA 65 TAN



927252 AQUARELLE DC TROPIC 3D



926631 ATLANTA 65 SAGE



927251 AQUARELLE DC JUNGLE

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 133
 more information on pg. 133



927665 ALASKA WHITE
 stran | page: 109



927669 SIRIUS PEARL
 stran | page: 113



925750 ICELAND SILK
 stran | page: 99



926618 TAURUS SAND
 stran | page: 105

ATLANTA






Notranje stenske ploščice | Indoor Wall Tiles

Kremne naravne barve in otipljivo doživetje reliefnih struktur prikljče v spomin preprost način življenja, ki pušča za seboj vse, kar je nepotrebno. Kolekcija ustvarja intimno, sofisticirano harmonijo sijajnih tekstur na mat ozadju, ki se izraža v dinamični igri geometričnih elementov in 3D efektov. Minimalistične monokromatske osnovne ploščice z diskretno strukturo so na voljo tudi v trendni francosko modri in dimno zeleni barvi, ki se odlično kombinirata k svetlim, nevtralnim dekorjem.

With Atlanta, creamy natural colors and the tactile experience of relief tiles, recall a simple lifestyle that leaves the unnecessary behind. A collection of tiles plays on the combination of the intimate, sophisticated harmony of glossy textures on matt background creating dynamic geometrical relief games and 3D effects. Minimalistic monochromatic base tiles with discrete structure are available also in trendy French blue and sage green color, that combine perfectly with light, neutral decor tiles






Atlanta 65 White, Atlanta 65 Blue, Atlanta White DC Mosaic 3D, Nordic Pine

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x60	9	1,35	20,60	64	86,40	1.320
3D struktura 3D Structure		25x60	8	1,20	19,90	32	38,40	620




ATLANTA

Notranje stenske ploščice | Indoor Wall Tiles
Gladka ali reliefna površina | Smooth or Structured Surface
25x60 cm | 9.8"x 23.6"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Mat ploščica | Matt Tile


BARVE | COLORS



926626 ATLANTA 65 WHITE




926632 ATLANTA WHITE DC MOSAIC 3D



926627 ATLANTA 65 BLUE



926633 ATLANTA WHITE DC TROPIC 3D




926628 ATLANTA 65 GREY

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 133
more information on pg. 133




927669
SIRIUS PEARL
stran | page: 113



926619
TAURUS PEARL
stran | page: 105



924678
NORDIC PINE
stran | page: 73



927387
EXOTIC PINE
stran | page: 79

ATLANTA

Notranje stenske ploščice | Indoor Wall Tiles

Kremne naravne barve in otipljivo doživetje reliefnih struktur prikljče v spomin preprost način življenja, ki pušča za seboj vse, kar je nepotrebno. Kolekcija ustvarja intimno, sofisticirano harmonijo sijajnih tekstur na mat ozadju, ki se izraža v dinamični igri geometričnih elementov in 3D efektov. Minimalistične monokromatske osnovne ploščice z diskretno strukturo so na voljo tudi v trendni francosko modri in dimno zeleni barvi, ki se odlično kombinirata k svetlim, nevtralnim dekorjem.

With Atlanta, creamy natural colors and the tactile experience of relief tiles, recall a simple lifestyle that leaves the unnecessary behind. A collection of tiles plays on the combination of the intimate, sophisticated harmony of glossy textures on matt background creating dynamic geometrical relief games and 3D effects. Minimalistic monochromatic base tiles with discrete structure are available also in trendy French blue and sage green color, that combine perfectly with light, neutral décor tiles






Atlanta 65 Sage, Atlanta Beige DC Tropic 3D, Taurus Sand

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description	■	☐	📦	⬇️	⬇️	⬇️	⬇️
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile	👤	25x60	9	1,35	20,60	64	86,40	1.320
3D struktura 3D Structure	3D	25x60	8	1,20	19,90	32	38,40	620




ATLANTA

Notranje stenske ploščice | Indoor Wall Tiles
Gladka ali reliefna površina | Smooth or Structured Surface
25x60 cm | 9.8"x 23.6"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Mat ploščica | Matt Tile

BARVE | COLORS



926629 ATLANTA 65 BEIGE



926634 ATLANTA BEIGE DC MOSAIC 3D



926630 ATLANTA 65 TAN



926635 ATLANTA BEIGE DC TROPIC 3D



926631 ATLANTA 65 SAGE

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 133
more information on pg. 133



927377
MOON PEARL
stran | page: 89



925753
ICELAND SAND
stran | page: 99



926622
FOSSIL COTTO
stran | page: 103



927389
EXOTIC CHESTNUT
stran | page: 79

DALIA






Notranje stenske ploščice | Indoor Wall Tiles

Inovativna kolekcija, narejena s premišljeno sintezo tehnike digitalnega tiska in organske tridimenzionalne strukture. Naravna tekstura, mehki toni in harmoničen dizajn dajejo kolekciji eleganten in pomirjajoč pridih. 3D dekorji združujejo elemente naravnega lesa z rastlinsko, linearno ali mozaično formo, ki razgiba in zaokroži prostor v prijetno in vabljivo celoto.

Innovative collection made with sophisticated generation of digital printing technique and organic three-dimensional structure. Natural texture, soft tones and harmonic design give this collection an elegant and reassuring flavor. 3D decorations combine elements of natural wood with floral, linear or mosaic form, which creates motion and rounds up the space in pleasant and inviting manner.






Desire 65 Beige, Dalia Beige DC Lines 3D, Iceland Cream

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	pakotov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x60	9	1,35	20,60	64	86,40	1.320
3D struktura 3D Structure		25x60	8	1,20	19,90	32	38,40	620



DALIA

Notranje stenske ploščice | Indoor Wall Tiles
 Gladka ali reliefna površina | Smooth or Structured Surface
 25x60 cm | 9.8"x 23.6"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Mat ploščica | Matt Tile

BARVE | COLORS



923630 DESIRE 65 BEIGE




925739 DESIRE 65 WHITE



925743 DALIA BEIGE DC FLOWER 3D



925740 DALIA WHITE DC FLOWER 3D



925744 DALIA BEIGE DC LINES 3D



925741 DALIA WHITE DC LINES 3D



925745 DALIA BEIGE DC MOSAIC 3D



925742 DALIA WHITE DC MOSAIC 3D

Priporočene talne ploščice | Recommended Floor Tiles


VEČ INFORMACIJ NA STR. 133
 more information on pg. 133



925778
 ASPEN BROWN
 stran | page: 81



925752
 ICELAND CREAM
 stran | page: 99



925779
 ASPEN GREY
 stran | page: 81



925751
 ICELAND MIST
 stran | page: 99

EAGLE






Notranje stenske ploščice | Indoor Wall Tiles

Inspiracija kolekcije Eagle je zgodba sedimentnega kamna s svojo zrnasto teksturo in naravno privlačnostjo. Korak naprej je narejen s 3D strukturami, ki sledijo umetnosti kamnoseštva in dajo steni globino in gibanje. Poseben razvoj v vzorcu in barvi predstavlja dekor 3D Wood, ki izstopa z bogatim in harmonično prepletenim vzorcem lesa, ki se odlično ujema s celotno kolekcijo, hkrati pa povezuje ambient z naravnim lesom, ki je eden od primarnih materialov v sodobnih ambientih.

Collection inspired by the story of sedimentary stone with its grainy texture and natural attractiveness. A step forward is made by 3D structures that follow the art of stone cutting and give deepness and movement to the wall. Special development in graphic and color is obtained in décor 3D Wood, which stands out with its rich and harmonious wooden patchwork that combines perfectly with the rest of the collection and connect the ambiance to natural wood, that is one of the primary materials in contemporary ambiances.






Eagle Beige DC Wood 3D, Eagle Beige DC Lines 3D, Eagle 65 Beige, Vicenza Beige

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x60	9	1,35	20,60	64	86,40	1.320
3D struktura 3D Structure		25x60	8	1,20	19,90	32	38,40	620




EAGLE


Notranje stenske ploščice | Indoor Wall Tiles
 Gladka ali reliefna površina | Smooth or Structured Surface
 25x60 cm | 9.8"x 23.6"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Mat ploščica | Matt Tile


BARVE | COLORS



923539 EAGLE 65 BEIGE



923543 EAGLE 65 GREY



923540 EAGLE BEIGE DC LINES 3D




923544 EAGLE GREY DC LINES 3D




923541 EAGLE BEIGE DC MIX 3D



923545 EAGLE GREY DC MIX 3D



923542 EAGLE BEIGE DC WOOD 3D



923546 EAGLE GREY DC WOOD 3D

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 133
 more information on pg. 133



922744 VICENZA BEIGE
 stran | page: 95



927668 COTTO ROSSO
 stran | page: 117



923447 VICENZA GREY
 stran | page: 95



927379 FENIX WHITE
 stran | page: 93

DESIRE






Notranje stenske ploščice | Indoor Wall Tiles

Naravna vlakna, preprosta in delikatna, a izjemno močna, ustvarjajo vzdušje nežnosti in varnosti, hkrati pa so polna poguma, svobode in dogodivščin. Kolekcija Desire formira naraven prostor, ki je vabljiv, topel in brezčasno sodoben. Preplet struktur in vzorcev s pozornostjo na detajlih transformira stene v unikatno vizualno izkušnjo, ki vliva optimizem in zadovoljstvo v vsak trenutek.

Natural fibers, simple and delicate, however essentially strong, full of courage, adventure and freedom, form soft and safe atmosphere. Collection Desire forms natural space which is inviting, warm and timeless modern at the same time. Interplay of structures and patterns with focus on details transforms the walls in unique visual experience, that bestow optimism and contentment to each moment.






Desire 65 Beige, Desire Beige DC Levels 3D, Eagle Beige DC Wood 3D, Vicenza Beige

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x60	9	1,35	20,60	64	86,40	1.320
3D struktura 3D Structure		25x60	8	1,20	19,90	32	38,40	620



DESIRE

Notranje stenske ploščice | Indoor Wall Tiles
 Gladka ali reliefna površina | Smooth or Structured Surface
 25x60 cm | 9.8"x 23.6"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Mat ploščica | Matt Tile

BARVE | COLORS



923630 DESIRE 65 BEIGE




923631 DESIRE 65 GREY



923632 DESIRE BEIGE DC LEVELS 3D



923633 DESIRE GREY DC LEVELS 3D




923542 EAGLE BEIGE DC WOOD 3D




923546 EAGLE GREY DC WOOD 3D

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 133+134
 more information on pg. 133+134




922744
 VICENZA BEIGE
 stran | page: 95



927385
 FUSION CHESTNUT
 stran | page: 87



923447
 VICENZA GREY
 stran | page: 95



926589
 LEGEND PINE
 stran | page: 83

SURFACE






Notranje stenske ploščice | Indoor Wall Tiles

Analiza grobih betonskih površin in odtisov v ometu predstavlja osnovno inspiracijo kolekcije Surface. Ploščice zaznamuje diskretna, stilizirana osnovna betonska struktura v kombinaciji s 3D dekorativnimi elementi. Izbiramo lahko med elegantno valovito organsko strukturo in moderno naključno kombinatoriko geometrijskih vzorcev (patchwork). Kolekcija se odlično ujema z različnimi naravnimi ali umetnimi materiali (les, cement, kamen, tekstil,...), s katerimi oblikuje unikatne ambience v skladu s sodobnimi trendi.

Analysis of rough concrete surfaces and imprints in plaster represents the basic inspiration of the Surface collection. The tiles are characterized by discrete, stylized concrete structure in combination with 3D decoration elements. You can choose between elegant wavy organic structure or a modern random synthesis of geometric patterns (patchwork). The tiles are matching beautifully with other natural materials (wood, cement, stone) with which they create unique ambiances in accordance with contemporary trends.






Surface 65 White, Surface Beige DC Patchwork 3D, Iceland Silk

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x60	9	1,35	20,60	64	86,40	1.320
3D struktura 3D Structure		25x60	8	1,20	19,90	32	38,40	620




SURFACE

Notranje stenske ploščice | Indoor Wall Tiles
 Gladka ali reliefna površina | Smooth or Structured Surface
 25x60 cm | 9.8"x 23.6"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Mat ploščica | Matt Tile

BARVE | COLORS



923635 SURFACE 65 BEIGE




923634 SURFACE 65 WHITE



925736 SURFACE BEIGE DC PATCHWORK 3D



925737 SURFACE GREY DC PATCHWORK 3D




923638 SURFACE BEIGE DC WAVES 3D

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 134
 more information on pg. 134



925752 ICELAND CREAM
 stran | page: 99



927380 FENIX TAUPE
 stran | page: 93



927669 SIRIUS PEARL
 stran | page: 113



924079 CEMENT GREY
 stran | page: 107

ONICE





Notranje stenske ploščice | Indoor Wall Tiles

Nežen, mlečen vzorec oniks marmorja se izraža v prepleti gladki mat površini in naravnih tonih, ki dajejo občutek brezčasne elegance. Ploščice inspirirane v naravnih kamnih so trenutno eden od najbolj trendnih elementov oblikovanja interierjev. Marmor je univerzalna klasika. Zaradi svoje razgibanosti in raznolikosti se odlično poda v vsak tip interiera – klasični, moderni, minimalistični, celo 'vintage' ali 'industrial'. V vsak prostor prinese občutek vzvišenosti in elegance.

This milky onyx, that has a modern approach towards the marbles, comes with a beautiful smooth matte finish and natural shades that give a sense of timeless elegance. Natural stone-inspired tiles are currently one of the trendiest elements in interior design. Stone is a universal classic. Its diversity means that it can be used in any interior – classical, modern, minimalist, even vintage or industrial. It makes every interior both elegant and sublime.






Onice 65 White, Taurus Pearl

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	pakotov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x60	9	1,35	20,60	64	86,40	1.320
Dekorna ploščica Decor Tile (m ²)	DC	25x60	9	1,35	20,00	32	43,20	620
3D struktura 3D Structure	3D	25x60	8	1,20	19,90	32	38,40	620



ONICE

Notranje stenske ploščice | Indoor Wall Tiles
Gladka ali reliefna površina | Smooth or Structured Surface
25x60 cm | 9.8"x 23.6"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Mat ploščica | Matt Tile

BARVE | COLORS



926656 ONICE 65 BEIGE



926657 ONICE 65 WHITE



926658 ONICE BEIGE DC TROPIC
8 različnih lic - pakirano naključno
8 different faces - packaged randomly



926659 ONICE WHITE DC TROPIC
8 različnih lic - pakirano naključno
8 different faces - packaged randomly



926660 ONICE BEIGE DC ROMB 3D



926661 ONICE WHITE DC ROMB 3D

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 134
more information on pg. 134




927385
FUSION CHESTNUT
stran | page: 87



926618
TAURUS SAND
stran | page: 105



924681
NATIVE ALMOND
stran | page: 75



927666
URBAN GREY
stran | page: 115

VISUAL





Notranje stenske ploščice | Indoor Wall Tiles

Svilena mat površina z drobnim, diskretnim lesketom daje ploščicam Visual čarobnost, mehko in privlačnost. Barvni spekter obsega sodobne nevtralne in zemeljske tone bele, sive in taupe. Dovršeni dekorativni elementi omogočajo interpretacijo različnih stilov in se odlično kombinirajo z materiali kot so les, cement, terrazzo... Patchwork bo poudaril izbrano steno z bogato kombinacijo naravnih tekstur in geometričnih elementov, 3D strukturne ploščice pa bodo dale steni dodatno dimenzijo in igro svetlobe in sence v obliki lomljenih linij ali moderne opeke (brick).

Silky surface with fine, discrete sparkle makes the Visual tiles fairy, soft and attractive. The color scale encompasses contemporary neutral and earthy tones: white, grey and taupe. Unique decorative elements stand for interpretations of different styles and are a great match with materials such as wood, cement, terrazzo... Patchwork gives accent to a specific wall with rich combination of natural textures and geometrical elements, 3D structured tiles create additional dimension and interplay between light and dark in the shape of broken lines or trendy bricks that are loved for their genuine warmth and character as well as their power to evoke urban, industrial and rustic atmospheres. They perfectly capture the time-worn surfaces, robust pattern and commanding presence of a real brick.






Visual Taupe DC Lines 3D, Visual 65 Taupe, Iceland Silk

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketo / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x60	9	1,35	20,60	64	86,40	1.320
Dekorna ploščica Decor Tile (m ²)	DC	25x60	9	1,35	20,00	32	43,20	620
3D struktura 3D Structure	3D	25x60	8	1,20	19,90	32	38,40	620




VISUAL

Notranje stenske ploščice | Indoor Wall Tiles
 Gladka ali reliefna površina | Smooth or Structured Surface
 25x60 cm | 9.8"x 23.6"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Mat ploščica | Matt Tile

BARVE | COLORS




925789 VISUAL 65 WHITE



925792 VISUAL WHITE DC PATCHWORK



925791 VISUAL 65 TAUPE



925790 VISUAL 65 GREY




925796 VISUAL TAUPE DC BRICK 3D



925794 VISUAL GREY DC BRICK 3D



925795 VISUAL TAUPE DC LINES 3D



925793 VISUAL GREY DC LINES 3D

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 134
 more information on pg. 134



924080
 CEMENT TAUPE
 stran | page: 107



927669
 SIRIUS PEARL
 stran | page: 113



924079
 CEMENT GREY
 stran | page: 107



927378
 MOON ASH
 stran | page: 89

STATUARIO







Notranje stenske ploščice | Indoor Wall Tiles

Statuario je dragocen beli marmor, ki izvira iz področja Carrara v Italiji. Je eden od najbolj cenjenih marmorjev zaradi njegove snežno bele barve in čudovito mehkega vzorca sivih žil in senc. Najdemo ga v najbolj prestižnih javnih in zasebnih objektih, saj omogoča neomejene možnosti kombiniranja z drugimi naravnimi in umetnimi materiali. Prostoru daje nezmotljiv karakter in naravno eleganco, odlično funkcionira tako v klasičnem kot v modernem stilu ambienta. V kombinaciji s črno ustvarja temeljni kontrast, ki zaznamuje estetiko notranjega oblikovanja že stoletja.

Statuario marble is an exclusive white marble that originates from Carrara region in Italy. It is one of the most sought-after natural stone due to its pure white color and soft pattern of grey veins and shadows. It is the material of choice for architects and designers for the use of luxurious projects in the most beautiful homes in the world, thanks to its versatility and compatibility with other natural and artificial materials. It functions perfectly in both, classical and modern style ambiances, and brings unmistakable character and natural elegance to every space. In combination with black it forms a basic contrast that marks esthetics of interior design for centuries..






Statuario 65 White, Statuario DC Mosaic 3D, Taurus Pearl, Native Oak

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x60	9	1,35	20,60	64	86,40	1.320
Dekorna ploščica Decor Tile (m ²)		25x60	9	1,35	20,00	32	43,20	620
3D struktura 3D Structure		25x60	8	1,20	19,90	32	38,40	620



STATUARIO

Notranje stenske ploščice | Indoor Wall Tiles
 Gladka ali reliefna površina | Smooth or Structured Surface
 25x60 cm | 9.8"x 23.6"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Sijajna ploščica | Glossy Tile

BARVE | COLORS



927354 STATUARIO 65 WHITE



927355 STATUARIO DC MOSAIC 3D



927430 MARBLE 65 BLACK



927356 STATUARIO DC WAVES



927357 STATUARIO DC GEOMETRIC 3D

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 134
 more information on pg. 134




927666
 URBAN GREY
 stran | page: 115



925751
 ICELAND MIST
 stran | page: 99



927379
 FENIX WHITE
 stran | page: 93



927386
 EXOTIC OAK
 stran | page: 79

STATUARIO







Notranje stenske ploščice | Indoor Wall Tiles

Statuario je dragocen beli marmor, ki izvira iz področja Carrara v Italiji. Je eden od najbolj cenjenih marmorjev zaradi njegove snežno bele barve in čudovito mehkega vzorca sivih žil in senc. Najdemo ga v najbolj prestižnih javnih in zasebnih objektih, saj omogoča neomejene možnosti kombiniranja z drugimi naravnimi in umetnimi materiali. Prostoru daje nezmotljiv karakter in naravno eleganco, odlično funkcionira tako v klasičnem kot v modernem stilu ambienta. V kombinaciji s črno ustvarja temeljni kontrast, ki zaznamuje estetiko notranjega oblikovanja že stoletja.

Statuario marble is an exclusive white marble that originates from Carrara region in Italy. It is one of the most sought-after natural stone due to its pure white color and soft pattern of grey veins and shadows. It is the material of choice for architects and designers for the use of luxurious projects in the most beautiful homes in the world, thanks to its versatility and compatibility with other natural and artificial materials. It functions perfectly in both, classical and modern style ambiances, and brings unmistakable character and natural elegance to every space. In combination with black it forms a basic contrast that marks esthetics of interior design for centuries.






Statuario 65 White, Lux DC Mosaic 3D, Taurus Sand

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	pakotov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x60	9	1,35	20,60	64	86,40	1.320
3D struktura 3D Structure		25x60	8	1,20	19,90	32	38,40	620
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	22,20	60	75,60	1.330
		58,5 x 58,5	4	1,369	26,60	32	43,808	850



STATUARIO

Notranje stenske ploščice | Indoor Wall Tiles
Gladka ali reliefna površina | Smooth or Structured Surface
25x60 cm | 9.8"x 23.6"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Sijajna ploščica | Glossy Tile


BARVE | COLORS



927354 STATUARIO 65 WHITE




927368 LUX DC MOSAIC 3D



927431 LUX BLACK DC BRICK 3D

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 134
more information on pg. 134




927669 SIRIUS PEARL
stran | page: 113

58,5x58,5 cm



927666 URBAN GREY
stran | page: 115

58,5x58,5 cm



926618 TAURUS SAND
stran | page: 105

30x60 cm



925751 ICELAND MIST
stran | page: 99

30x60 cm

IBIZA








Notranje stenske ploščice | Indoor Wall Tiles

Kolekcija temelji na preprostem in delikatnem cementnem vzorcu z značilno sodobnimi potezami v toplem ali hladnem barvnem spektru. Diskretna osnova daje poudarek sofisticirani dekoraciji z moderno geometrično 3D strukturo ali organskim dizajnom tropskega rastlinja, prepletenega s fino strukturiranim reliefom. Ambient izraža poudarjeno osebno noto in pripoveduje zgodbo o mogočnosti narave.

Series offers a simple and pure appearance of concrete with its typical features in a varied range of colors, from cool to warm. Discrete foundation give emphasis to sophisticated decoration with modern geometrical 3D structure or organic tropical leaves design embedded with a finely structured relief. Ibiza evokes personal sentiment, reminding us of the nature's strenght.






Ibiza Latte DC Geo 3D, Terrazzo Beige

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x60	9	1,35	20,60	64	86,40	1.320
Dekorna ploščica Decor Tile (m ²)		25x60	9	1,35	20,00	32	43,20	620
3D struktura 3D Structure		25x60	8	1,20	19,90	32	38,40	620




IBIZA

Notranje stenske ploščice | Indoor Wall Tiles
 Gladka ali reliefna površina | Smooth or Structured Surface
 25x60 cm | 9.8"x 23.6"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Sijajna ploščica | Glossy Tile


BARVE | COLORS




926636 IBIZA 65 LATTE



926638 IBIZA 65 WHITE



926637 IBIZA 65 COFFEE



926639 IBIZA 65 GREY



926640 IBIZA LATTE DC TROPIC
 8 različnih lic - pakirano naključno
 8 different faces - packaged randomly



926642 IBIZA WHITE DC TROPIC
 8 različnih lic - pakirano naključno
 8 different faces - packaged randomly



926641 IBIZA LATTE DC GEO 3D



926643 IBIZA WHITE DC GEO 3D

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 134
 more information on pg. 134




926618
 TAURUS SAND
 stran | page: 105



924062
 TERRAZZO BEIGE
 stran | page: 91



927665
 ALASKA WHITE
 stran | page: 109



927381
 FENIX GRAPHITE
 stran | page: 93

LUX






Notranje stenske ploščice | Indoor Wall Tiles

Kombinacija gladke in 3D ploščice s strukturo majhnih opek ustvarja na stenah čudovito igro svetlobe in senc. Sijajna površina in naravno razgiban vzorec reproducira videz in občutek ročno izdelanih ploščic z brezčasno eleganco v beli, bež ali žlahtni turkizno modri barvi.

Collection Lux unites the beauty of majolica style traditional ceramics and contemporary digital technology. The combination of flat and 3D surface with small brick shapes creates unique interplay of light and shadows. Glossy surface and natural design reproduce the look and feel of handmade tiles with timeless elegance in white, warm beige and precious turquoise blue color.






Lux White DC Brick 3D, Lux 65 Blue, Moon Pearl, Moon Ash

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	pakotov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x60	9	1,35	20,60	64	86,40	1.320
3D struktura 3D Structure		25x60	8	1,20	19,90	32	38,40	620




LUX

Notranje stenske ploščice | Indoor Wall Tiles
Gladka ali reliefna površina | Smooth or Structured Surface
25x60 cm | 9.8"x 23.6"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Sijajna ploščica | Glossy Tile


BARVE | COLORS




927362 LUX 65 WHITE



927365 LUX WHITE DC BRICK 3D



927364 LUX 65 BLUE



927431 LUX BLACK DC BRICK 3D



927368 LUX DC MOSAIC 3D

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 134
more information on pg. 134



927665
ALASKA WHITE
stran | page: 109



927669
SIRIUS PEARL
stran | page: 113



927666
URBAN GREY
stran | page: 115



925751
ICELAND MIST
stran | page: 99

LUX






Notranje stenske ploščice | Indoor Wall Tiles

Kombinacija gladke in 3D ploščice s strukturo majhnih opek ustvarja na stenah čudovito igro svetlobe in senc. Sijajna površina in naravno razgiban vzorec reproducira videz in občutek ročno izdelanih ploščic z brezčasno eleganco v beli, bež ali žlahtni turkizno modri barvi.

Collection Lux unites the beauty of majolica style traditional ceramics and contemporary digital technology. The combination of flat and 3D surface with small brick shapes creates unique interplay of light and shadows. Glossy surface and natural design reproduce the look and feel of handmade tiles with timeless elegance in white, warm beige and precious turquoise blue color.






Lux Beige DC Brick 3D, Lux 65 Beige, Vicenza Beige

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x60	9	1,35	20,60	64	86,40	1.320
3D struktura 3D Structure		25x60	8	1,20	19,90	32	38,40	620




LUX

Notranje stenske ploščice | Indoor Wall Tiles
 Gladka ali reliefna površina | Smooth or Structured Surface
 25x60 cm | 9.8"x 23.6"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Sijajna ploščica | Glossy Tile

BARVE | COLORS



927363 LUX 65 BEIGE



927366 LUX BEIGE DC BRICK 3D



927368 LUX DC MOSAIC 3D

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 134
 more information on pg. 134



926618
 TAURUS SAND
 stran | page: 105



923446
 VICENZA BEIGE
 stran | page: 95



927380
 FENIX TAUPE
 stran | page: 93



924680
 NATIVE IVORY
 stran | page: 75

BLOSSOM

Notranje stenske ploščice | Indoor Wall Tiles

Ureditev prostora bistveno vpliva na naše razpoloženje in psiho-fizično počutje. Najmočnejši element v tem pogledu je barva, ki je že v temelju tesno povezana z našim načinom zaznavanja in interpretiranja sveta okoli nas. To razmišljanje predstavlja izhodišče kolekcije Blossom, ki vnaša v prostor globoko modrino oceanskega dna ali pa kremno rjavo toplino naravnih zemeljskih tonov. Kolekcijo dopolnjujejo dekorji s cvetličnim motivom ali tradicionalnim ornamentalnim vzorcem, elegantno valovita 3D struktura in razigran mozaik.

Design and arrangement of our living spaces have a major impact on our mood and our physical and mental wellbeing. The strongest element in this aspect is color, which is fundamentally connected to our way of perceiving and interpreting the world around us. This consideration is the starting point for Blossom collection, that brings into space deep blue color of ocean floor or creamy brown nuances of natural earthy tones. The Collection is extended by elegant wavy 3D structure or playful mosaic and décor tiles with floral motif or traditional ornamental pattern. Patchwork tiles are invariably ranked among the hottest decorative trends, and backsplash is the first place people think of where to use patterned tiles.






Urban Grey, Blossom White DC Waves 3D, Blossom 65 Blue

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x60	9	1,35	20,60	64	86,40	1.320
Dekorna ploščica Decor Tile (m ²)	DC	25x60	9	1,35	20,00	32	43,20	620
3D struktura 3D Structure	3D	25x60	8	1,20	19,90	32	38,40	620
Mozaik 1 Mosaic 1		30x30	11	0,98	14,50			
		cm	kos / pcs	m	kg			
Listela Listello	L	5x60	12	7,20	6,00			



BLOSSOM


Notranje stenske ploščice | Indoor Wall Tiles
 Gladka ali reliefna površina | Smooth or Structured Surface
 25x60 cm | 9,8"x 23,6"
 30x30 cm | 11,8"x 11,8"
 5x60 cm | 1,9"x 23,6"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Sijajna ploščica | Glossy Tile


BARVE | COLORS



922064 LUCY 65 WHITE



922838 BLOSSOM WHITE DC PATCHWORK



922834 BLOSSOM 65 BLUE



922837 BLOSSOM WHITE DC FLOWER



922839 BLOSSOM WHITE DC WAVES 3D



922843 BLOSSOM WHITE L FLOWER 5x60 cm



922845 BLOSSOM W-B-W MOSAIC 1 30x30 cm

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 134
 more information on pg. 134




927665 ALASKA WHITE
 stran | page: 109



926619 TAURUS PEARL
 stran | page: 105



924063 TERRAZZO GREY
 stran | page: 91



927382 FUSION OAK
 stran | page: 87

BLOSSOM









Notranje stenske ploščice | Indoor Wall Tiles

Ureditev prostora bistveno vpliva na naše razpoloženje in psiho-fizično počutje. Najmočnejši element v tem pogledu je barva, ki je že v temelju tesno povezana z našim načinom zaznavanja in interpretiranja sveta okoli nas. To razmišljanje predstavlja izhodišče kolekcije Blossom, ki vnaša v prostor globoko modrino oceanskega dna ali pa kremno rjavo toplino naravnih zemeljskih tonov. Kolekcijo dopolnjujejo dekorji s cvetličnim motivom ali tradicionalnim ornamentalnim vzorcem, elegantno valovita 3D struktura in razigran mozaik.

Design and arrangement of our living spaces have a major impact on our mood and our physical and mental wellbeing. The strongest element in this aspect is color, which is fundamentally connected to our way of perceiving and interpreting the world around us. This consideration is the starting point for Blossom collection, that brings into space deep blue color of ocean floor or creamy brown nuances of natural earthy tones. The Collection is extended by elegant wavy 3D structure or playful mosaic and décor tiles with floral motif or traditional ornamental pattern. Patchwork tiles are invariably ranked among the hottest decorative trends, and backsplash is the first place people think of where to use patterned tiles.



Blossom 65 Brown, Blossom 65 Beige, Blossom Beige DC Flower

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x60	9	1,35	20,60	64	86,40	1.320
Dekorna ploščica Decor Tile (m ²)		25x60	9	1,35	20,00	32	43,20	620
3D struktura 3D Structure		25x60	8	1,20	19,90	32	38,40	620
Mozaik 1 Mosaic 1		30x30	11	0,98	14,50			
		cm	kos / pcs	m	kg			
Listela Listello		5x60	12	7,20	6,00			



BLOSSOM

Notranje stenske ploščice | Indoor Wall Tiles

Gladka ali reliefna površina | Smooth or Structured Surface

25x60 cm | 9,8" x 23,6"

30x30 cm | 11,8" x 11,8"

5x60 cm | 1,9" x 23,6"



Primerno za bivalne površine |
Suitable for Residential Areas



Stenska ploščica | Wall Tile




Sijajna ploščica | Glossy Tile

BARVE | COLORS



922835 BLOSSOM 65 BEIGE



922841 BLOSSOM BEIGE DC PATCHWORK



922836 BLOSSOM 65 BROWN



922840 BLOSSOM BEIGE DC FLOWER



922842 BLOSSOM BEIGE DC WAVES 3D



922844 BLOSSOM BEIGE L FLOWER 5x60 cm



922846 BLOSSOM B-B-W
MOSAIC 1 30x30 cm

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 134
more information on pg. 134



927669
SIRIUS PEARL
stran | page: 113



925753
ICELAND SAND
stran | page: 99



924080
CEMENT TAUPE
stran | page: 107



927380
FENIX TAUPE
stran | page: 93

LUCY






Notranje stenske ploščice | Indoor Wall Tiles

Kolekcija, ki bo opremila vaš prostor s prečiščenim kontrastom in globino razkošne vijolične barve. Čista, sijajna površina s subtilnim, zabrisanim vzorcem daje steni mehak, uravnotežen in prestižen videz. Stilska dekoracija z romantičnim cvetličnim motivom, geometričnim učinkom bleščic ali 3D strukturo ustvarja unikatno in elegantno atmosfero.

A collection that will furnish your space with a thoughtful contrast and depth of luxurious purple color. Clean, glossy surface with subtle, blurred design makes the wall look soft, balanced and precious. Stylish decoration with romantic floral pattern, geometric sparkle effect or wavy 3D structure creates unique and elegant atmosphere.






Lucy 65 Violet, Lucy White DC Flower, Lucy 65 White, Urban Grey

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	pakotov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x60	9	1,35	20,60	64	86,40	1.320
Dekorna ploščica Decor Tile (m ²)	DC	25x60	9	1,35	20,00	32	43,20	620
3D struktura 3D Structure	3D	25x60	8	1,20	19,90	32	38,40	620
Mozaik 1 Mosaic 1		30x30	11	0,98	14,50			
		cm	kos / pcs	m	kg			
Listela Listello	L	4,5x60	12	7,20	6,00			



LUCY

Notranje stenske ploščice | Indoor Wall Tiles
 Gladka ali reliefna površina | Smooth or Structured Surface
 25x60 cm | 9,8"x 23,6"
 30x30 cm | 11,8"x 11,8"
 4,5x60 cm | 1,7"x 23,6"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Sijajna ploščica | Glossy Tile

BARVE | COLORS



922064 LUCY 65 WHITE



922069 LUCY WHITE DC FLOWER



922065 LUCY 65 VIOLET



922839 BLOSSOM WHITE DC WAVES 3D



922068 LUCY WHITE DC MESH



922252 LUCY WHITE L MESH 4,5x60 cm



922253 LUCY VIOLET L MESH 4,5x60 cm




922070 LUCY W-V-M MOSAIC 1 30x30 cm

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 135
 more information on pg. 135



927665 ALASKA WHITE
 stran | page: 109



927666 URBAN GREY
 stran | page: 115



923435 FINESTONE WHITE
 stran | page: 101



927379 FENIX WHITE
 stran | page: 93

DREAM







Notranje stenske ploščice | Indoor Wall Tiles

Mehka, sijajna površina, nevtralni in topli toni ter fin, subtilen vzorec narejen z učinkom bleščic. Tovrstne ploščice omogočajo svetlobi, da se odbija po kopalnici in ustvarja občutek, da je majhen prostor videti večji, kot je v resnici. Kolekcija ustvarja intimne, ženske ambience polne lepote in romantike in omogoča različne kombinacije vzorca, bordur in mozaikov.

A soft, shiny surface, neutral and warm pastel tones with added subtle sparkly pattern effect. Tiles like this will allow light to bounce around the bathroom and trick the eye into making small rooms appear larger than they actually are. The collection creates intimate, feminine ambiances full of beauty and romance and enables versatile combinations of different graphics, borders and mosaics.



Dream Light Coffee DC Flower, Dream 65 Light Coffee

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x60	9	1,35	20,60	64	86,40	1.320
Dekorna ploščica Decor Tile (m ²)		25x60	9	1,35	20,00	32	43,20	620
Mozaik 1 Mosaic 1		30x30	11	0,98	14,50			
		cm	kos / pcs	m	kg			
Listela Listello		5x60	12	7,20	6,00			



DREAM

Notranje stenske ploščice | Indoor Wall Tiles

Gladka površina | Smooth Surface

25x60 cm | 9,8"x 23,6"

30x30 cm | 11,8"x 11,8"

5x60 cm | 1,9"x 23,6"



Primerno za bivalne površine | Suitable for Residential Areas



Stenska ploščica | Wall Tile



Sijajna ploščica | Glossy Tile


BARVE | COLORS



921935 DREAM 65 WHITE




921940 DREAM WHITE DC FLOWER




921934 DREAM 65 LIGHT COFFEE



921938 DREAM LIGHT COFFEE DC FLOWER



921957 DREAM 65 COFFEE



921939 DREAM COFFEE DC FLOWER




921945 DREAM WHITE L FLOWER 5x60 cm




921943 DREAM LIGHT COFFEE L FLOWER 5x60 cm



921944 DREAM COFFEE L FLOWER 5x60 cm



921950 DREAM W-F MOSAIC 1 30x30 cm



921948 DREAM LC-F MOSAIC 1 30x30 cm



921949 DREAM C-F MOSAIC 1 30x30 cm

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 135
more information on pg. 135



927665 ALASKA WHITE
stran | page: 109



927377 MOON PEARL
stran | page: 98



924062 TERRAZZO BEIGE
stran | page: 91



924080 CEMENT TAUPE
stran | page: 107

STREAMS








Notranje stenske ploščice | Indoor Wall Tiles

Kolekcija, ki združuje klasično lepoto in sodobni okus. Ekspresivna moč marmorja je interpretirana v svetli beli verziji, ki se lahko kombinira s temnejšo sivo ali rjavo varianto. Prefinjena stilska dekoracija vnese v prostor karakter z elegantnim dotikom geometrije ali privlačnimi tradicionalnimi vzorci, ki so premišljeno vpeti v osnovno grafiko kamna.

Collection that brings together classical beauty and contemporary taste. The expressive force of pure marble is interpreted in light white version that can be combined with darker grey or brown variation. Finely styled decoration offers personalised spaces with the elegant touch of geometric or attractive traditional patterns that are thoughtfully blended into basic stone graphic.



Streams 65 Brown, Streams White DC Lines, Streams 65 White

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x60	9	1,35	20,60	64	86,40	1.320
Dekorna ploščica Decor Tile (m ²)		25x60	9	1,35	20,00	32	43,20	620
Mozaiik 1 Mosaic 1		30x30	11	0,98	14,50			
		cm	kos / pcs	m	kg			
Listela Listello		5x60	12	7,20	6,00			



STREAMS

Notranje stenske ploščice | Indoor Wall Tiles

Gladka površina | Smooth Surface

25x60 cm | 9,8"x 23,6"

30x30 cm | 11,8"x 11,8"

5x60 cm | 1,9"x 23,6"



Primerno za bivalne površine | Suitable for Residential Areas



Stenska ploščica | Wall Tile



Sijajna ploščica | Glossy Tile

BARVE | COLORS



921847 STREAMS 65 WHITE



921849 STREAMS 65 BROWN



921848 STREAMS 65 GREY



921850 STREAMS WHITE DC PATCHWORK




921851 STREAMS WHITE DC LINES



921852 STREAMS WHITE L GEOMETRIC 5x60 cm



921853 STREAMS WHITE L PATCHWORK 5x60 cm




922262 STREAMS W-B MOSAIC 1 30x30 cm



922261 STREAMS W-G MOSAIC 1 30x30 cm

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 135
more information on pg. 135



927665 ALASKA WHITE
stran | page: 109



927377 MOON PEARL
stran | page: 89



925750 ICELAND SILK
stran | page: 99



927378 MOON ASH
stran | page: 89

ETNA






Notranje stenske ploščice | Indoor Wall Tiles

Etna slavi prvinsko lepoto, ki jo ustvarja kombinacija zemlje in ognja. Ploščice imitirajo različne izseke kamnitih struktur, ki jih je v tisočletjih ustvarila narava, s čimer ustvarjajo na steni naključno estetsko razgibanost. Barvna paleta vzbuja občutke nevtralne umirjenosti ali zemeljske toplote, ki jih stopnjuje drobna geometrija vpeta v starodavno mozaično tradicijo. Cvetlični dekor pripoveduje zgodbo harmonije, intimne povezanosti med človekom in rastlinskim svetom narave.

Etna is a result of the combination of earth and fire. Tiles consists of a number of different faces for the same item, to create a pleasant aesthetic variability when fixed. The vein continuity nor the sequence of the various faces can be guaranteed. Colors proposed drive you into a sensation of neutral calm or earthly warm feeling enriched by the presence of small geometry calling back the mosaic tradition. Floral pattern in this series speaks of harmonies - it is about the close relationship between mankind and all what is related to nature like trees, leaves and flowers.






Etna 65 Beige, Etna 52 Brown, Etna Beige DC Flower

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	pakotov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		20x50	18	1,80	26,80	44	79,20	1.180
Dekorna ploščica Decor Tile (m ²)		20x50	18	1,80	26,80	22	39,60	590



ETNA

Notranje stenske ploščice | Indoor Wall Tiles
Gladska ali reliefna površina | Smooth or Structured Surface
20x50 cm | 7.8"x 19.6"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Mat ploščica | Matt Tile


BARVE | COLORS




926679 ETNA 52 BEIGE



926677 ETNA 52 WHITE



926680 ETNA 52 BROWN



926678 ETNA 52 GREY



926682 ETNA BEIGE DC FLOWER



926681 ETNA WHITE DC FLOWER



926684 ETNA BEIGE DC MOSAIC



926683 ETNA WHITE DC MOSAIC

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 135
more information on pg. 135



925752
ICELAND CREAM
stran | page: 99



927383
FUSION PINE
stran | page: 87



925750
ICELAND SILK
stran | page: 99



923435
FINESTONE WHITE
stran | page: 101

ADORE







Notranje stenske ploščice | Indoor Wall Tiles

Naravne mehke linije, klasična in brezčasna barvna kombinacija in luksuzna dekoracija so trije elementi, ki zaznamujejo serijo Adore. Osnovne ploščice z natančnostjo digitalne tehnologije imitirajo tekstilni vzorec, tro-delni cvetlični dekor pa je opremljen s prestižnimi metalnimi materiali, ki obogatijo ploščice z elegantnimi svetlobnimi efekti. Geometrični dekor s svojo 3D strukturo vnaša vizualno razgibanost v vsak prostor.

Natural soft lines, classic and timeless color combination and luxurious decoration are three elements that mark series Adore. The base tiles are realised by digital technology, 3 piece floral set is coated with prestigious metallic materials that result in enchanting reflections, while glossy 3D geometric structure brings visual stimuli to any space.






Adore 52 Brown, Adore 52 Beige, Adore Beige DC Flower A + B + C, Aspen Brown

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		20x50	18	1,80	26,80	44	79,20	1.180
Dekorna ploščica (kos) Decor Tile (pcs)		20x50	15	1,50	22,30			
		cm	kos / pcs	m	kg			
Listela Listello		5x50	12	6,00	5,00			



ADORE

Notranje stenske ploščice | Indoor Wall Tiles
 Gladka ali reliefna površina | Smooth or Structured Surface
 20x50 cm | 7.8"x 19.6"
 5x50 cm | 1.9"x 19.6"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Sijajna ploščica | Glossy Tile

BARVE | COLORS



922741 ADORE 52 BEIGE



922875 ADORE BEIGE DC FLOWER C



922742 ADORE 52 BROWN




922874 ADORE BEIGE DC FLOWER B



922872 ADORE BEIGE DC MOSAIC




922873 ADORE BEIGE DC FLOWER A



922871 ADORE BEIGE DC WAVES



922985 ADORE BEIGE L LINES 5x50 cm



922877 ADORE BROWN L LINES 5x50 cm

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 135
 more information on pg. 135




926618
 TAURUS SAND
 stran | page: 105



924062
 TERRAZZO BEIGE
 stran | page: 91



925778
 ASPEN BROWN
 stran | page: 81



924678
 NORDIC PINE
 stran | page: 73

ADORE







Notranje stenske ploščice | Indoor Wall Tiles

Naravne mehke linije, klasična in brezčasna barvna kombinacija in luksuzna dekoracija so trije elementi, ki zaznamujejo serijo Adore. Osnovne ploščice so proizvedene z natančnostjo digitalne tehnologije, tro-delni cvetlični dekor pa je opremljen s prestižnimi metalnimi materiali, ki obogatijo ploščice z elegantnimi svetlobnimi efekti. Geometrični dekor s svojo 3D strukturo vnaša vizualno razgibanost v vsak prostor.

Natural soft lines, classic and timeless color combination and luxurious decoration are three elements that mark series Adore. The base tiles are realised by digital technology, 3 piece floral set is coated with prestigious metallic materials that result in enchanting reflections, while glossy 3D geometric structure brings visual stimuli to any space.






Adore 52 White, Adore White DC Flower A + B + C

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		20x50	18	1,80	26,80	44	79,20	1.180
Dekorna ploščica (kos) Decor Tile (pcs)		20x50	15	1,50	22,30			
		cm	kos / pcs	m	kg			
Listela Listello		5x50	12	6,00	5,00			



ADORE

Notranje stenske ploščice | Indoor Wall Tiles
 Gladka ali reliefna površina | Smooth or Structured Surface
 20x50 cm | 7.8"x 19.6"
 5x50 cm | 1.9"x 19.6"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Sijajna ploščica | Glossy Tile

BARVE | COLORS



922740 ADORE 52 WHITE



922870 ADORE WHITE DC FLOWER C



922739 ADORE 52 GREY



922869 ADORE WHITE DC FLOWER B



922867 ADORE WHITE DC MOSAIC



922868 ADORE WHITE DC FLOWER A



922866 ADORE WHITE DC WAVES



922986 ADORE WHITE L LINES 5x50 cm



922876 ADORE GREY L LINES 5x50 cm

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 135
 more information on pg. 135




927666
 URBAN GREY
 stran | page: 115



924079
 CEMENT GREY
 stran | page: 107



924063
 TERRAZZO GREY
 stran | page: 91



927382
 FUSION OAK
 stran | page: 87

SENSO






Notranje stenske ploščice | Indoor Wall Tiles

Ploščice Senso obdajo stene ali tla z nevsiljivim, naravnim pridihom. Osnovne ploščice so izraz modernega minimalističnega stila, ki izraža atmosfero urbanega okolja. Dekoracija je monokromatska z unikatnim vzorcem.

*Series emits a natural earthy sensation - it adds an nonintrusive, gentle touch to each wall or floor.
Base tiles are the expression of a modern minimalist style that reflects the atmosphere of the urban environment.
The series builds on monochromatic decoration with unique patterns.*






Senso 52 White, Senso White DC Mosaic

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	pakotov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		20x50	18	1,80	26,80	44	79,20	1.180
Dekorna ploščica Decor Tile (m ²)	DC	20x50	18	1,80	26,80	22	39,60	590
Dekorna ploščica (kos) Decor Tile (pcs)		20x50	15	1,50	22,30			
		cm	kos / pcs	m	kg			
Listela Listello	L	5x50	12	6,00	5,00			

SENSO

Notranje stenske ploščice | Indoor Wall Tiles
 Gladka ali reliefna površina | Smooth or Structured Surface
 20x50 cm | 7.8"x 19.6"
 5x50 cm | 1.9"x 19.6"

-  Primerno za bivalne površine | Suitable for Residential Areas
-  Stenska ploščica | Wall Tile
-  Sijajna ploščica | Glossy Tile


BARVE | COLORS



922738 SENSO 52 WHITE



922857 SENSO WHITE DC GEOMETRIC



922743 SENSO 52 GREY



922856 SENSO WHITE DC MOSAIC




922858 SENSO WHITE DC ARABESQUE



922862 SENSO WHITE L ARABESQUE 5x50 cm

Priporočene talne ploščice | Recommended Floor Tiles

VEČ INFORMACIJ NA STR. 135
 more information on pg. 135




927669
 SIRIUS PEARL
 stran | page: 113



924079
 CEMENT GREY
 stran | page: 107



927379
 FENIX WHITE
 stran | page: 93



927383
 FUSION PINE
 stran | page: 87

GLAZIRANE PORCELANSKE PLOŠČICE

Glazed Porcelain Tiles

DIMENZIJE | Dimensions

22,5 x 90 cm | 8,9"x 35.4"

30 x 60 cm | 11,8"x 23,6"

58,5 x 58,5 cm | 23"x 23"

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna ali gladka površina
Structured or Smooth Surface

Različna grafična lica | Different Faces

Mat ali sijajno
Matt or Glossy

Skladno z zahtevami standarda SIST EN 14411, aneks G skupina BI_a
Classification in Accordance With SIST EN 14411 Annex G Group BI_a

KAZALO PO TIPU IZDELKA IN FORMATU

Products Index by Typology and Formats

Les Wood

<u>NORDIC</u>	<u>72-73</u>
<u>NATIVE</u>	<u>74-75</u>
<u>RUSTIC</u>	<u>76-77</u>
<u>EXOTIC</u>	<u>78-79</u>
<u>ASPEN</u>	<u>80-81</u>
<u>LEGEND</u>	<u>82-83</u>
<u>FOREST</u>	<u>84-85</u>
<u>FUSION</u>	<u>86-87</u>

22,5 x 90 cm 8,9"x 35.4"

<u>NORDIC</u>	<u>72-73</u>
<u>NATIVE</u>	<u>74-75</u>
<u>RUSTIC</u>	<u>76-77</u>
<u>EXOTIC</u>	<u>78-79</u>

Kamen Stone

<u>MOON</u>	<u>88-89</u>
<u>TERRAZZO</u>	<u>90-91</u>
<u>FENIX</u>	<u>92-93</u>
<u>VICENZA</u>	<u>94-95</u>
<u>NAXOS</u>	<u>96-97</u>
<u>ICELAND</u>	<u>98-99</u>
<u>FINESTONE</u>	<u>100-101</u>
<u>ALASKA</u>	<u>108-109</u>
<u>ANDROMEDA</u>	<u>110-111</u>
<u>SIRIUS</u>	<u>112-113</u>

30 x 60 cm 11,8"x 23,6"

<u>ASPEN</u>	<u>80-81</u>
<u>LEGEND</u>	<u>82-83</u>
<u>FOREST</u>	<u>84-85</u>
<u>FUSION</u>	<u>86-87</u>
<u>MOON</u>	<u>88-89</u>
<u>TERRAZZO</u>	<u>90-91</u>
<u>FENIX</u>	<u>92-93</u>
<u>VICENZA</u>	<u>94-95</u>
<u>NAXOS</u>	<u>96-97</u>
<u>ICELAND</u>	<u>98-99</u>
<u>FINESTONE</u>	<u>100-101</u>
<u>FOSSIL</u>	<u>102-103</u>
<u>TAURUS</u>	<u>104-105</u>
<u>CEMENT</u>	<u>106-107</u>

Cement Concrete

<u>TAURUS</u>	<u>104-105</u>
<u>CEMENT</u>	<u>106-107</u>
<u>URBAN</u>	<u>114-115</u>

58,5 x 58,5 cm 23,0"x 23,0"

<u>ALASKA</u>	<u>108-109</u>
<u>ANDROMEDA</u>	<u>110-111</u>
<u>SIRIUS</u>	<u>112-113</u>
<u>URBAN</u>	<u>114-115</u>
<u>COTTO</u>	<u>116-117</u>

Terakota Cotto

<u>FOSSIL</u>	<u>102-103</u>
<u>COTTO</u>	<u>116-117</u>

NORDIC





Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Ta projekt združuje vzorec naravnega lesa iz skandinavskega gozda s porcelanskim telesom ploščic. Ustvarja brezčasno kolekcijo, primerno tako za sodobne kot klasične stile. Zaradi vrhunskih lastnosti porcelana lahko s temi ploščicami formirate enotna lesena tla po celotni etaži, tudi v kopalnici in kuhinji, ki sta močno obremenjeni z vlago.

This project brings natural wood from Scandinavian forests onto porcelain body. It forms a timeless collection, perfect for sophisticate, modern and at the same time classical ambiances. Due to supreme characteristic of porcelain, you can create uniform wooden floor through all rooms, also bathroom and kitchen, that are burdened with moist.



Nordic Pine, Cement Grey

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		22,5x90	6	1,215	23,10	54	65,610	1.250



NORDIC

Glazirane porcelanske ploščice | Glazed Porcelain Tiles
 Reliefna površina | Structured Surface
 22,5 x 90 cm | 8,9"x 35.4"

-  Odpornost proti zmrzovanju | Frost Resistance
-  Primerno za zunanje površine | Suitable for Outdoor Areas
-  Primerno za bivalne površine | Suitable for Residential Areas
-  Talna ploščica | Floor Tile
-  Stenska ploščica | Wall Tile
-  Mat ploščica | Matt Tile
-  R10 Razred drsnosti | Slipperiness
-  B Razred drsnosti na mokri podlagi | Slipperiness on Wet Surfaces
-  PEI IV Odpornost proti obrabi | Abrasion Resistance
-  Ploščice z rahlo razgibanim odtenkom ali vzorcem / Tiles With Slight Shade and Graphic Variation
-  Število različnih lic | Number of Different Faces

BARVE | COLORS



924677 NORDIC WHITE



924678 NORDIC PINE



NATIVE





Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Naravna eleganca lesa v kombinaciji z vrhunskimi tehničnimi lastnostmi porcelana ustvarja idealno podlago za sodobne oblikovalske koncepte. Inspiracija je hrastov les z značilnim vzorcem in enotno barvo. Te ploščice ustvarjajo naravno razgibanost in tople, pomirjujočo atmosfero, v kateri se počutimo doma.

Natural elegance of wood combined with supreme technical characteristic of porcelain makes this collection ideal for different contemporary design schemes. Inspiration comes from oak wood with distinctive vein pattern and uniform color. Those tiles create natural movement and warm, welcoming atmosphere that feels like home.



Native Ivory

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		22,5x90	6	1,215	23,10	54	65,610	1.250



NATIVE

Glazirane porcelanske ploščice | Glazed Porcelain Tiles
 Reliefna površina | Structured Surface
 22,5 x 90 cm | 8,9 x 35.4"

-  Odpornost proti zmrzovanju | Frost Resistance
-  Primerno za zunanje površine | Suitable for Outdoor Areas
-  Primerno za bivalne površine | Suitable for Residential Areas
-  Taina ploščica | Floor Tile
-  Stenska ploščica | Wall Tile
-  Mat ploščica | Matt Tile

- R10** Razred drsnosti | Slipperiness
- B** Razred drsnosti na mokri podlagi | Slipperiness on Wet Surfaces
- PEI IV** Odpornost proti obrabi | Abrasion Resistance
- V2** Ploščice z rahlo razgibanim odtenkom ali vzorcem / Tiles With Slight Shade and Graphic Variation
- 12** Število različnih lic | Number of Different Faces

BARVE | COLORS



924680 NATIVE IVORY



924681 NATIVE ALMOND



924682 NATIVE OAK



RUSTIC





Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Ugotovitev, da je lepota v nepopolnosti, še posebej velja za staran les, obogaten z detajli in žlahtnim pridihom preteklosti. Pristni elementi starinske lesene teksture dajejo tem ploščicam rustikalen videz, ki daje prostoru značilen karakter in se odlično ujema s pohištvom in dekoracijo v 'vintage' stilu.

Imperfection can work beautifully to your advantage, especially with aged wood, full of details and noble touch of the past. Those tiles obtain rustic look with authentic elements of old wooden texture, that gives distinct character to any space and function perfectly with vintage style furniture and decoration.



Rustic Oak

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	pakotov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		22,5x90	6	1,215	23,10	54	65,610	1.250



RUSTIC

Glazirane porcelanske ploščice | Glazed Porcelain Tiles
 Reliefna površina | Structured Surface
 22,5 x 90 cm | 8,9x 35.4"

-  Odpornost proti zmrzovanju | Frost Resistance
-  Primerno za zunanje površine | Suitable for Outdoor Areas
-  Primerno za bivalne površine | Suitable for Residential Areas
-  Talna ploščica | Floor Tile
-  Stenska ploščica | Wall Tile
-  Mat ploščica | Matt Tile

- R10** Razred drsnosti | Slipperiness
- B** Razred drsnosti na mokri podlagi | Slipperiness on Wet Surfaces
- PEI IV** Odpornost proti obrabi | Abrasion Resistance
- V3** Ploščice z zmerno razgibanim odtenkom ali vzorcem / Tiles With Moderate Shade and Graphic Variation
- 12** Število različnih lic | Number of Different Faces


BARVE | COLORS



924673 RUSTIC WHITE



924674 RUSTIC GREY



924675 RUSTIC OAK



EXOTIC





Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Exotic predstavlja vrsto dragocenega dišečega lesa, ki izvira iz Indonezije. Zanj je značilen razgiban vzorec, izpostavljeni detajli in močni kontrasti. S toplimi toni v svetli ali temni barvi vnaša v prostor pridih domačnosti in udobja.

Fusion imitates prestigious fragrant wood that originates from Indonesia. Versatile design with exposed details and strong contrasts gives a unique quality to every space. It evokes welcoming and comfortable emotions with warm hues in light or dark color.



Exotic Pine

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		22,5x90	6	1,215	23,10	54	65,610	1.250



EXOTIC

Glazirane porcelanske ploščice | Glazed Porcelain Tiles
 Reliefna površina | Structured Surface
 22,5 x 90 cm | 8,9x 35.4"



Odpornost proti zmrzovanju |
 Frost Resistance



Primerno za zunanje površine |
 Suitable for Outdoor Areas



Primerno za bivalne površine |
 Suitable for Residential Areas



Talna ploščica | Floor Tile



Stenska ploščica | Wall Tile




Mat ploščica | Matt Tile

R10


Razred drsnosti | Slipperiness

BRazred drsnosti na mokri podlagi |
Slipperiness on Wet Surfaces**PEI****IV**Odpornost proti obrabi |
Abrasion Resistance**V3**Ploščice z zmerno razgibanim odtenkom ali vzorcem / Tiles With Moderate
Shade or Graphic Variation**14**Število različnih lic |
Number of Different Faces

BARVE | COLORS



927387 EXOTIC PINE



927386 EXOTIC OAK



927388 EXOTIC LARCH



927389 EXOTIC CHESTNUT

ASPEN





Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Inspiracija za serijo Aspen je švedski pregovor, ki govori o pravi meri: 'ne preveč, ne premalo, ravno prav'. Serija zagotavlja visok standard rahlo strukturirane površine in grafike, ki uravnoteža mehke linije z močnejšimi poudarki. Zaradi brezčasnega vzorca in naravnih barvnih tonov, lahko ploščice Aspen enostavno umestite v katerikoli prostor vašega doma.

Swedish saying, meaning "not too much, not too little, just the right amount" is the vision that has inspired Aspen. It has a high quality standard in terms of gently textured surface as well as a graphic that represents integrated development of soft lines and bolder patches with natural hues that make it easy to incorporate it into your home.



Aspen Grey

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	22,20	60	75,60	1.330



ASPEN

Glazirane porcelanske ploščice | Glazed Porcelain Tiles
 Reliefna površina | Structured Surface
 30 x 60 cm | 11,8" x 23,6"

-  Odpornost proti zmrzovanju | Frost Resistance
-  Primerno za zunanje površine | Suitable for Outdoor Areas
-  Primerno za bivalne površine | Suitable for Residential Areas
-  Talna ploščica | Floor Tile
-  Stenska ploščica | Wall Tile
-  Mat ploščica | Matt Tile

- R10** Razred drsnosti | Slipperiness
- B** Razred drsnosti na mokri podlagi | Slipperiness on Wet Surfaces
- PEI IV** Odpornost proti obrabi | Abrasion Resistance
- V2** Ploščice z rahlo razgibanim odtenkom ali vzorcem / Tiles With Slight Shade and Graphic Variation
- 6** Število različnih lic | Number of Different Faces

BARVE | COLORS



925778 ASPEN BROWN



925779 ASPEN GREY



LEGEND





Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Kolekcija interpretira dragocen obdelan les, bogat z naravnimi efekti, značilnimi za lesene površine. Staranju lesa daje novo vzdušje. Naravni detajli in nepopolnosti dajejo lesu rustikalen pridih, ki ustvarja v prostoru topel in zadovoljiv občutek domačnosti. Na voljo je v dveh naravnih sodobnih odtenkih.

The collection interprets precious and refined wood rich in natural effects typical of wood essence. It confers to the passage of time with a new vibe. Flaws and imperfections elevate the rustic features of the wood, giving room the warm and satisfying feeling of being at home. Available in two natural and contemporary nuances.



Legend Pine

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	22,20	60	75,60	1.330



LEGEND


Glazirane porcelanske ploščice | Glazed Porcelain Tiles
 Reliefna površina | Structured Surface
 30 x 60 cm | 11,8"x 23,6"

	Odpornost proti zmrzovanju Frost Resistance	R10	Razred drsnosti Slipperiness
	Primerno za zunanje površine Suitable for Outdoor Areas	B	Razred drsnosti na mokri podlagi Slipperiness on Wet Surfaces
	Primerno za bivalne površine Suitable for Residential Areas	PEI IV	Odpornost proti obrabi Abrasion Resistance
	Talna ploščica Floor Tile	V2	Ploščice z rahlo razgibanim odtenkom ali vzorcem / Tiles With Slight Shade and Graphic Variation
	Stenska ploščica Wall Tile	12	Število različnih lic Number of Different Faces
M	Mat ploščica Matt Tile		

BARVE | COLORS



926589 LEGEND PINE



926590 LEGEND OAK



FOREST





Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Ugotovitev, da je lepota v nepopolnosti, še posebej velja za staran les, obogaten z detajli in žlahtnim pridihom preteklosti. Pristni elementi starinske lesene teksture dajejo tem ploščicam rustikalni videz, ki daje prostoru značilen karakter in se odlično ujema s pohištvom in dekoracijo v 'vintage' stilu.

Imperfection can work beautifully to your advantage, especially with aged wood, full of details and noble touch of the past. Those tiles obtain rustic look with authentic elements of old wooden texture, that gives distinct character to any space and function perfectly with vintage style furniture and decoration.



Forest Oak, Forest White

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	pakotov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	22,20	60	75,60	1.330



FOREST

Glazirane porcelanske ploščice | Glazed Porcelain Tiles
 Reliefna površina | Structured Surface
 30 x 60 cm | 11,8"x 23,6"

-  Odpornost proti zmrzovanju | Frost Resistance
-  Primerno za zunanje površine | Suitable for Outdoor Areas
-  Primerno za bivalne površine | Suitable for Residential Areas
-  Talna ploščica | Floor Tile
-  Stenska ploščica | Wall Tile
-  Mat ploščica | Matt Tile

- R10** Razred drsnosti | Slipperiness
- B** Razred drsnosti na mokri podlagi | Slipperiness on Wet Surfaces
- PEI IV** Odpornost proti obrabi | Abrasion Resistance
- V3** Ploščice z zmerno razgibanim odtenkom ali vzorcem / Tiles With Moderate Shade and Graphic Variation
- 10** Število različnih lic | Number of Different Faces

BARVE | COLORS



923428 FOREST WHITE



923429 FOREST GREY



923430 FOREST OAK



923431 FOREST BROWN



FUSION





Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Fusion predstavlja vrsto dragocenega dišečega lesa, ki izvira iz Indonezije. Zanj je značilen razgiban vzorec, izpostavljeni detajli in močni kontrasti. S toplimi toni v svetli ali temni barvi vnaša v prostor pridih domačnosti in udobja.

Fusion imitates prestigious fragrant wood that originates from Indonesia. Versatile design with exposed details and strong contrasts gives a unique quality to every space. It evokes welcoming and comfortable emotions with warm hues in light or dark color.



Fusion Chestnut

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	22,20	60	75,60	1.330



FUSION

Glazirane porcelanske ploščice | Glazed Porcelain Tiles
 Reliefna površina | Structured Surface
 30 x 60 cm | 11,8"x 23,6"

	Odpornost proti zmrzovanju Frost Resistance	R10	Razred drsnosti Slipperiness
	Primerno za zunanje površine Suitable for Outdoor Areas	B	Razred drsnosti na mokri podlagi Slipperiness on Wet Surfaces
	Primerno za bivalne površine Suitable for Residential Areas	PEI IV	Odpornost proti obrabi Abrasion Resistance
	Talna ploščica Floor Tile	V3	Ploščice z zmerno razgibanim odtenkom ali vzorcem / Tiles With Moderate Shade or Graphic Variation
	Stenska ploščica Wall Tile	12	Število različnih lic Number of Different Faces
M	Mat ploščica Matt Tile		

BARVE | COLORS



927383 FUSION PINE



927382 FUSION OAK



927384 FUSION LARCH



927385 FUSION CHESTNUT



MOON





Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Minimalističen dizajn s pridihom tradicije izžareva dinamičen in topel občutek. Naključen vzorec izpeljan v omejeni barvni lestvici, funkcionira kot trden, nevtralen temelj za ambience v kateremkoli stilu. Združuje naravno eleganco s sodobnim pridihom.

Minimalist design with traditional roots that transmits dynamic and warm appearance. Random pattern, carried out in modest color scale, function as a solid, neutral base for every style of ambience. It carries a natural, but at the same time contemporary appeal.



Moon Pearl, Lux 65 Blue

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	22,20	60	75,60	1.330



MOON

Glazirane porcelanske ploščice | Glazed Porcelain Tiles
 Reliefna površina | Structured Surface
 30 x 60 cm | 11,8 x 23,6"



Odpornost proti zmrzovanju |
 Frost Resistance



Primerno za zunanje površine |
 Suitable for Outdoor Areas



Primerno za bivalne površine |
 Suitable for Residential Areas



Talna ploščica | Floor Tile



Stenska ploščica | Wall Tile



Mat ploščica | Matt Tile

R10

Razred drsnosti | Slipperiness

B

Razred drsnosti na mokri podlagi |
 Slipperiness on Wet Surfaces

PEI**IV**

Odpornost proti obrabi |
 Abrasion Resistance

V2

Ploščice z rahlo razjebanim odtenkom
 ali vzorcem / Tiles With Slight Shade or
 Graphic Variation


10

Število različnih lic |
 Number of Different Faces


BARVE | COLORS



927377 MOON PEARL



927378 MOON ASH



TERRAZZO





Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Pravijo, da je nujnost mati inovacij, ampak za beneške kamnoseke je bila bolj ljubezen do lepote tista sila, ki jih je pripeljala do ideje, kako iz drobnih ostankov marmornih plošč ustvariti čudovita tla. Po letih minimalističnih in monokromatskih trendov smo trenutno priča velikemu povratku terrazzo vzorca na ploščicah in drugih talnih ter stenskih oblogah.

Necessity, it's said, is the mother of invention. But for Venetian mosaic workers, it could be said "the love of beauty" was the driving force behind their invention of terrazzo tile. For the past couple of years we are witnessing a great comeback of this pattern for tile decoration, after years of minimal and monochromatic trends.



Terrazzo Beige

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	22,20	60	75,60	1.330




TERRAZZO


Glazirane porcelanske ploščice | Glazed Porcelain Tiles
 Reliefna površina | Structured Surface
 30 x 60 cm | 11,8" x 23,6"

	Odpornost proti zmrzovanju Frost Resistance	R10	Razred drsnosti Slipperiness
	Primerno za zunanje površine Suitable for Outdoor Areas	B	Razred drsnosti na mokri podlagi Slipperiness on Wet Surfaces
	Primerno za bivalne površine Suitable for Residential Areas	PEI IV	Odpornost proti obrabi Abrasion Resistance
	Talna ploščica Floor Tile	V2	Ploščice z rahlo razgibanim odtenkom ali vzorcem / Tiles With Slight Shade and Graphic Variation
	Stenska ploščica Wall Tile	16	Število različnih lic Number of Different Faces
M	Mat ploščica Matt Tile		

BARVE | COLORS



924062 TERRAZZO BEIGE



924063 TERRAZZO GREY



924064 TERRAZZO GRAPHITE



FENIX



Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Fenix slavi lepoto detajlov, ki jih najdemo v naključno razporejenih koščkih marmorja oblitih s cementom. To je terrazzo - talna obloga, ki izvira iz 16. st., ko so beneški delavci v proizvodnji marmorja odkrili način kako ustvariti čudovita in trajna tla iz ostankov marmorja. V zadnjih letih je postal terrazzo eden od vodilnih trendov na področju talnih, pa tudi stenskih oblog. Terrazzo omogoča svobodo izražanja zaradi neomejenih možnosti barvnih kombinacij in specifične igre med materialom in barvo. Ustvarja čudovite površine z neskončnim vzorcem, ki se harmonično zlivajo z okoljem.

Fenix celebrates the beauty of details found in randomly arranged multicolored marble chunks inside of a concrete platform. It is terrazzo - floor covering that originates from 16.st., when Venetian marble workers invented a method that uses marble left-overs and concrete to form durable and elegant floors. In recent years terrazzo became one of the major trends for floor and also wall coverings. Terrazzo enables great freedom of expression due to unlimited possibilities of color combinations and interplay between the material and color. It forms amazing surfaces that blends seamlessly into the environment.



Fenix Graphite, Lux Black DC Brick 3D

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	22,20	60	75,60	1.330





FENIX


Glazirane porcelanske ploščice | Glazed Porcelain Tiles
 Reliefna površina | Structured Surface
 30 x 60 cm | 11,8" x 23,6"

	Odpornost proti zmrzovanju Frost Resistance	R10	Razred drsnosti Slipperiness
	Primerno za zunanje površine Suitable for Outdoor Areas	B	Razred drsnosti na mokri podlagi Slipperiness on Wet Surfaces
	Primerno za bivalne površine Suitable for Residential Areas	PEI IV	Odpornost proti obrabi Abrasion Resistance
	Talna ploščica Floor Tile	V2	Ploščice z rahlo razgibanim odtenkom ali vzorcem / Tiles With Slight Shade or Graphic Variation
	Stenska ploščica Wall Tile	12	Število različnih lic Number of Different Faces
M	Mat ploščica Matt Tile		


BARVE | COLORS



927379 FENIX WHITE



927380 FENIX TAUPE



927381 FENIX GRAPHITE



VICENZA





Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Kamen Vicenza so uporabljali že od rimskih časov naprej. Je značilna mešanica sedimentov in drobnih peščenih delcev, ki skupaj ustvarjajo subtilno zrnasto gibanje. Ploščice Vicenza so brezčasna in elegantna imitacija naravnega kamna, ki ustreza različnim sodobnim idejnim zasnovam.

This graphic is a Vicenza stone from the Berici Hills (Italy). It has been known and used since Roman times. It is characterized as mix of sedimentary and tiny sand particles, which creates specific busy movement full of little spots. The result is a timeless and elegant stone proposal that suits the current interior design tendencies.



Vicenza Beige

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	22,20	60	75,60	1.330




VICENZA

Glazirane porcelanske ploščice | Glazed Porcelain Tiles
 Reliefna površina | Structured Surface
 30 x 60 cm | 11,8" x 23,6"

-  Odpornost proti zmrzovanju | Frost Resistance
-  Primerno za zunanje površine | Suitable for Outdoor Areas
-  Primerno za bivalne površine | Suitable for Residential Areas
-  Talna ploščica | Floor Tile
-  Stenska ploščica | Wall Tile
-  Mat ploščica | Matt Tile

- R10** Razred drsnosti | Slipperiness
- B** Razred drsnosti na mokri podlagi | Slipperiness on Wet Surfaces
- PEI IV** Odpornost proti obrabi | Abrasion Resistance
- VI** Ploščice z enotnim izgledom | Tiles With Uniformed Appearance
- 12** Število različnih lic | Number of Different Faces

BARVE | COLORS



922744 VICENZA BEIGE



923447 VICENZA GREY



NAXOS





Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Naxos interpretira posebno vrsto kamna, ki izhaja iz italijanskih Karnijskih Alp. Vzorec izraža močno kamnito jedro, ki se povezuje z lahkotnejšimi elegantnimi linijami. Ustvarja brezčasno naravno podlago, ki se zliva z okoljem.

Special stone extracted from the Italian Carnic Alps. It is presented in different colors and consists of a strong core matched with light and elegant veins. It forms timeless, natural foundation, that blends with the environment.



Naxos Smoke

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	22,20	60	75,60	1.330



NAXOS

Glazirane porcelanske ploščice | Glazed Porcelain Tiles
 Reliefna površina | Structured Surface
 30 x 60 cm | 11,8" x 23,6"



Odpornost proti zmrzovanju |
 Frost Resistance



Primerno za zunanje površine |
 Suitable for Outdoor Areas



Primerno za bivalne površine |
 Suitable for Residential Areas



Talna ploščica | Floor Tile



Stenska ploščica | Wall Tile



Mat ploščica | Matt Tile

R10

Razred drsnosti | Slipperiness

B

Razred drsnosti na mokri podlagi |
 Slipperiness on Wet Surfaces

PEI

IV

Odpornost proti obrabi |
 Abrasion Resistance


V2

Ploščice z rahlo razgibanim odtenkom ali vzorcem / Tiles With Slight
 Shade and Graphic Variation

12

Število različnih lic |
 Number of Different Faces

BARVE | COLORS



925748 NAXOS SMOKE



ICELAND

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Naravna razgibanost, brezčasna lepota in sodobna osebnost. Serija obsega sofisticirano lestvico toplih in hladnih tonov, ki omogočajo kombiniranje z različnimi materiali in pohištvom. Ploščice bodo vnesle v vsak ambient nezmotljivo eleganco naravnega kamna, za katerega so značilne poudarjene linije in gladki prehodi vzorca.

Extreme versatility, natural beauty and contemporary personality. Series features a sophisticated scale of warm and cooler tones that allow freedom of combination with the most disparate materials and furnishings, without tiles ever losing their extraordinary elegance of evident lines that enhance the smooth transition in a pattern.



Iceland Silk, Iceland Mist

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description	■	☐	☐	☐	☐	☐	☐
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance	❄️	30x60	7	1,26	22,20	60	75,60	1.330




ICELAND

Glazirane porcelanske ploščice | Glazed Porcelain Tiles
 Reliefna površina | Structured Surface
 30 x 60 cm | 11,8"x 23,6"

-  Odpornost proti zmrzovanju | Frost Resistance
-  Primerno za zunanje površine | Suitable for Outdoor Areas
-  Primerno za bivalne površine | Suitable for Residential Areas
-  Talna ploščica | Floor Tile
-  Stenska ploščica | Wall Tile
-  Mat ploščica | Matt Tile
-  Razred drsnosti | Slipperiness
-  Razred drsnosti na mokri podlagi | Slipperiness on Wet Surfaces
-  Odpornost proti obrabi | Abrasion Resistance
-  Ploščice z rahlo razgibanim odtenkom ali vzorcem / Tiles With Slight Shade and Graphic Variation
-  Število različnih lic | Number of Different Faces

BARVE | COLORS



925750 ICELAND SILK



925751 ICELAND MIST



925752 ICELAND CREAM



925753 ICELAND SAND



FINESTONE



Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Unikaten kamnit vzorec je mešanica dveh naravnih kamnov: 'Breccia Sarda' in 'Moon Grey'. Z različnimi izseki vzorca te ploščice ustvarjajo edinstveno grafično gibanje, ki daje prostorom naravno eleganco in malce nostalgičen pridih.

Unique stone design is a mixture of two natural stones: Breccia Sarda and Moon Grey. With different cuts of the pattern those tiles create one of a kind graphical movement, that gives natural elegance to every space with a hint of nostalgia.



Finestone Brown

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	22,20	60	75,60	1.330




FINESTONE

Glazirane porcelanske ploščice | Glazed Porcelain Tiles
 Reliefna površina | Structured Surface
 30 x 60 cm | 11,8" x 23,6"


-  Odpornost proti zmrzovanju | Frost Resistance
-  Primerno za zunanje površine | Suitable for Outdoor Areas
-  Primerno za bivalne površine | Suitable for Residential Areas
-  Talna ploščica | Floor Tile
-  Stenska ploščica | Wall Tile
-  Mat ploščica | Matt Tile

- R10** Razred drsnosti | Slipperiness
- B** Razred drsnosti na mokri podlagi | Slipperiness on Wet Surfaces
- PEI IV** Odpornost proti obrabi | Abrasion Resistance
- V3** Ploščice z zmerno razgibanim odtenkom ali vzorcem / Tiles With Moderate Shade and Graphic Variation
- 12** Število različnih lic | Number of Different Faces


BARVE | COLORS




923432 FINESTONE BEIGE



923433 FINESTONE BROWN



923435 FINESTONE WHITE



923434 FINESTONE LIGHT GREY

FOSSIL

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Kolekcija vizualno in strukturno preseneti s privlačnimi nevtralnimi odtenki, ki formirajo odprte, prehodne prostore. Pooseblja otipljivo izkušnjo dotika zemlje in interpretacijo mineralnih esenc skovanih skozi čas. Naravna fosilna tekstura ponuja raznoliko in elegantno površino, zaradi česar je primerna obloga za notranje in zunanje prostore.

Collection surprises visually and tactilely with attractive neutral shades that shape fluid spaces. It embodies the tactile experience of touching earth, and of interpreting mineral essences mixed and forged over time, in a material texture to be caressed with the eyes. The natural fossil texture offers a varied and elegant surface making it suitable for any kind of exterior or interior.



Fossil Cotto

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description	■	📦	📏	⚖️	📦	📏	⚖️
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance	❄️	30x60	7	1,26	22,20	60	75,60	1.330




FOSSIL

Glazirane porcelanske ploščice | Glazed Porcelain Tiles
 Reliefna površina | Structured Surface
 30 x 60 cm | 11,8" x 23,6"


-  Odpornost proti zmrzovanju | Frost Resistance
-  Primerno za zunanje površine | Suitable for Outdoor Areas
-  Primerno za bivalne površine | Suitable for Residential Areas
-  Talna ploščica | Floor Tile
-  Stenska ploščica | Wall Tile
-  Mat ploščica | Matt Tile

- R10** Razred drsnosti | Slipperiness
- B** Razred drsnosti na mokri podlagi | Slipperiness on Wet Surfaces
- PEI IV** Odpornost proti obrabi | Abrasion Resistance
- V3** Ploščice z zmerno razgibanim odtenkom ali vzorcem / Tiles With Moderate Shade and Graphic Variation
- 12** Število različnih lic | Number of Different Faces

BARVE | COLORS



926621 FOSSIL SAND



926622 FOSSIL COTTO



TAURUS





Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Material, ki so ga včasih skrivali ali prekrivali z drugimi materiali, je sedaj iskan element sodobnih in trendno opremljenih prostorov. Kolekcijo Taurus spremljajo tipične značilnosti betona v raznoliki paleti barv za sodoben in industrijski slog. Vsi, ki sledijo novim trendom oblikovanja ter iščejo inovativne in drzne rešitve, bodo v minimalistični teksturi in naravnih barvah ploščic Taurus našli novo inspiracijo.

What used to remain hidden is now a much sought-after element when designing modern and trendy interiors. The coverings of TAURUS adopt the typical features of concrete and offer a varied range of colors for a modern, industrial and loft-style interiors. Those looking for new trends in design, as well as innovative and bold solutions, will feel inspired with minimalistic textures and natural colors of Taurus tiles.



Taurus Antracite

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	pakotov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	22,20	60	75,60	1.330

TAURUS

Glazirane porcelanske ploščice | Glazed Porcelain Tiles
 Reliefna površina | Structured Surface
 30 x 60 cm | 11,8" x 23,6"



Odpornost proti zmrzovanju |
 Frost Resistance



Primerno za zunanje površine |
 Suitable for Outdoor Areas



Primerno za bivalne površine |
 Suitable for Residential Areas



Talna ploščica | Floor Tile



Stenska ploščica | Wall Tile



Mat ploščica | Matt Tile

R10

Razred drsnosti | Slipperiness

B

Razred drsnosti na mokri podlagi |
 Slipperiness on Wet Surfaces

PEI

IV

Odpornost proti obrabi |
 Abrasion Resistance

VI

Ploščice z enotnim izgledom |
 Tiles With Uniformed Appearance

12

Število različnih lic |
 Number of Different Faces

BARVE | COLORS



926618 TAURUS SAND



926619 TAURUS PEARL



926741 TAURUS ANTRACITE

CEMENT



Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Cement – popolna, vsestranska ploščica, ki slavi surovo lepoto betona. V okolje vnese naraven občutek, ki ga je težko nadomestiti. Ploščice dodajo nežen dotik katerikoli steni ali tlor. Njen edinstven izraz in fokus na detajlih sta nenadomestljiva.

The perfect versatile tile collection, Cement - Showcasing the raw beauty of concrete. It's hard to beat the natural earthy feel that cement look tiles portray in a variety of settings. They add inconspicuous, gentle touch to any wall or floor covering; its unique expression and perfection for detail is irreplaceable.



Agra White DC Mosaic 3D, Cement Taupe

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	22,20	60	75,60	1.330

CEMENT

Glazirane porcelanske ploščice | Glazed Porcelain Tiles
 Reliefna površina | Structured Surface
 30 x 60 cm | 11,8"x 23,6"



Odpornost proti zmrzovanju |
 Frost Resistance



Primerno za zunanje površine |
 Suitable for Outdoor Areas



Primerno za bivalne površine |
 Suitable for Residential Areas



Talna ploščica | Floor Tile



Stenska ploščica | Wall Tile



Mat ploščica | Matt Tile

R10

Razred drsnosti | Slipperiness

B

Razred drsnosti na mokri podlagi |
 Slipperiness on Wet Surfaces

PEI

IV

Odpornost proti obrabi |
 Abrasion Resistance

VI

Ploščice z enotnim izgledom |
 Tiles With Uniformed Appearance

10

Število različnih lic |
 Number of Different Faces

BARVE | COLORS



924080 CEMENT TAUPE



924079 CEMENT GREY



ALASKA




Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Inspiracija za projekt je znameniti turški marmor, za katerega so značilni odtenki bele površine, po kateri se prepletajo zlate linije v kombinaciji sivih žil. Ploščica zaradi intenzivnosti vzorca naredi vsak prostor izjemen in prefinjen. Vzorec je idealen za tla, steno, prhe, kuhinje in bivalne prostore, kjer se lahko odlično kombinira tudi z bolj živahnimi barvami.

A famous Turkish marble characterized by the shades of white on the surface, composing a background of rare visual power, while the characteristic golden lines that emerge along the grey veins give it a sense of importance and royalty. The intensity of the pattern makes every environment in which it is used extraordinary, giving it solemnity and refinement. Perfect for floors, wall coverings, showers, kitchens and living spaces, where it can be combined with more lively colors.



Alaska White, Cotto Rosso

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		58,5 x 58,5	4	1,369	26,60	32	43,808	850



ALASKA

Glazirane porcelanske ploščice | Glazed Porcelain Tiles
 Gladka površina | Smooth Surface
 58,5 x 58,5 cm | 23.0" x 23.0"

-  Odpornost proti zmrzovanju | Frost Resistance
-  Primerno za zunanje površine | Suitable for Outdoor Areas
-  Primerno za bivalne površine | Suitable for Residential Areas
-  Talna ploščica | Floor Tile
-  Stenska ploščica | Wall Tile
-  Sijajna ploščica | Glossy Tile
-  R9 Razred drsnosti | Slipperiness
-  B Razred drsnosti na mokri podlagi | Slipperiness on Wet Surfaces
-  PEI III Odpornost proti obrabi | Abrasion Resistance
-  V3 Ploščice z rahlo razgibanim odtenkom ali vzorcem / Tiles With Slight Shade or Graphic Variation
-  II Število različnih lic | Number of Different Faces



BARVE | COLORS



927665 ALASKA WHITE



ANDROMEDA

Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Ploščice, ki prinesejo toskansko vzdušje v vaš dom. Kolekcija praznuje zgodovinski italijanski marmor, pridobljen iz kamnolomov v Toskani. Za dizajn je značilno prepletanje barv ozadja, vse od sive do bež, katero prečka nekaj rjavih in oranžnih žil. Ta marmorni vzorec s svojo edinstveno barvo in žilami poudari katerakoli tla, stopnice ali steno.

Tiles that bring Tuscan atmosphere in your home.





Collection celebrates historic Italian marble extracted from quarries located in Tuscany.

The design is characterized by the background color which varies from mouse grey to beige, crossed by some brown and orange veins.

This marble pattern with its unique color and veins is a statement whether you install it on the floor, stairs or walls.



Andromeda Bone

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		58,5 x 58,5	4	1,369	26,60	32	43,808	850

ANDROMEDA

Glazirane porcelanske ploščice | Glazed Porcelain Tiles
 Reliefna površina | Structured Surface
 58,5 x 58,5 cm | 23.0" x 23.0"



Odpornost proti zmrzovanju |
 Frost Resistance



Primerno za zunanje površine |
 Suitable for Outdoor Areas



Primerno za bivalne površine |
 Suitable for Residential Areas



Talna ploščica | Floor Tile



Stenska ploščica | Wall Tile



Mat ploščica | Matt Tile

R11

Razred drsnosti | Slipperiness

C

Razred drsnosti na mokri podlagi |
 Slipperiness on Wet Surfaces

**PEI
 IV**


Odpornost proti obrabi |
 Abrasion Resistance

V3

Ploščice z rahlo razgibanim odtenkom
 ali vzorcem / Tiles With Slight Shade
 or Graphic Variation

11

Število različnih lic |
 Number of Different Faces



BARVE | COLORS



927667ANDROMEDA BONE

SIRIUS





Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Povsem nov pogled na tradicionalni terrazzo v novih barvah, z igrivimi kamenčki zaokroženih organskih oblik, zasnovan za sodobni koncept oblikovanja. Razgiban vzorec in nežna barvitost v kombinaciji z enostavnim čiščenjem in vzdrževanjem ustvarja popolno izhodišče za ustvarjalno svobodo, ki bo naredila vaš prostor edinstven in ekskluziven.

All-new, modern take on traditional terrazzo – new colors and bigger rounded chip pattern that stands out for a modern concept of design. Its combinations of soft colored chips of stones and high levels of durability combined with easy cleaning and maintenance, makes it a special mixture designed specifically for your creativity to be free and make your space unique and exclusive.






Sirius Pearl

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	pakotov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		58,5 x 58,5	4	1,369	26,60	32	43,808	850

SIRIUS


Glazirane porcelanske ploščice | Glazed Porcelain Tiles
 Reliefna površina | Structured Surface
 58,5 x 58,5 cm | 23.0" x 23.0"



	Odpornost proti zmrzovanju Frost Resistance	R10	Razred drsnosti Slipperiness
	Primerno za zunanje površine Suitable for Outdoor Areas	B	Razred drsnosti na mokri podlagi Slipperiness on Wet Surfaces
	Primerno za bivalne površine Suitable for Residential Areas	PEI IV	Odpornost proti obrabi Abrasion Resistance
	Talna ploščica Floor Tile	V2	Ploščice z rahlo razgibanim odtenkom ali vzorcem / Tiles With Slight Shade or Graphic Variation
	Stenska ploščica Wall Tile	11	Število različnih lic Number of Different Faces
M	Mat ploščica Matt Tile		



BARVE | COLORS



927669 SIRIUS PEARL

URBAN





Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Ekspresivna površina glaziranih porcelanskih ploščic. Grafika cementa je vzeta naravnost s starodavnih grobih tal, ki se nahajajo v stari italijanski vili, ter natisnjena na ploščico, ki jo je mogoče enostavno vgraditi v katerikoli prostor. Koncept se osredotoča na prilagojen industrijski beton in rahlo usmerjene efekte. Ploščica je popolna izbira, če želite ustvariti zračen, odprt prostor, ki je poln možnosti.

An expressive glazed porcelain tile surface. Graphic is taken straight from an ancient rough floor located in an old Italian villa, and made into a tile to be easily installed in any space. The concept centers around adapted industrial concrete and slightly directed effects. Perfect choice if you want to create an airy, wide open space full of possibilities.



Urban Grey

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		58,5 x 58,5	4	1,369	26,60	32	43,808	850



URBAN

Glazirane porcelanske ploščice | Glazed Porcelain Tiles
 Reliefna površina | Structured Surface
 58,5 x 58,5 cm | 23.0" x 23.0"



Odpornost proti zmrzovanju |
 Frost Resistance



Primerno za zunanje površine |
 Suitable for Outdoor Areas



Primerno za bivalne površine |
 Suitable for Residential Areas



Talna ploščica | Floor Tile



Stenska ploščica | Wall Tile



Mat ploščica | Matt Tile

R9

Razred drsnosti | Slipperiness

B

Razred drsnosti na mokri podlagi |
 Slipperiness on Wet Surfaces

PEI**IV**

Odpornost proti obrabi |
 Abrasion Resistance

VI

Ploščice z rahlo razgibanim odtenkom
 ali vzorcem / Tiles With Slight Shade
 or Graphic Variation

11

Število različnih lic |
 Number of Different Faces



BARVE | COLORS



927666 URBAN GREY



COTTO





Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Sodobna interpretacija brezčasne lepote terakote. Gre za rustikalni koncept trenda zemlje in zemeljskih barv, ki simbolizira stabilnost, varnost in povezanost z naravo. S temi ploščicami v čudovitih rdečkastih tonih (terra rossa) boste ustvarili pristen mediteranski ambient v zaprtih prostorih ali na prostem.

The modern interpretation of timeless beauty of cotto. This rustic concept perfectly interprets the earth, which is in the center of the trend, and earthy colors, that symbolize stability, safety, and connection with nature. Indoor and outdoor – with these tiles you can create Mediterranean feel in any ambience with their distinct reddish tones (terra rossa).



Cotto Rosso

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		58,5 x 58,5	4	1,369	26,60	32	43,808	850



COTTO

Glazirane porcelanske ploščice | Glazed Porcelain Tiles
 Reliefna površina | Structured Surface
 58,5 x 58,5 cm | 23.0" x 23.0"



Odpornost proti zmrzovanju |
 Frost Resistance



Primerno za zunanje površine |
 Suitable for Outdoor Areas



Primerno za bivalne površine |
 Suitable for Residential Areas



Talna ploščica | Floor Tile



Stenska ploščica | Wall Tile



Mat ploščica | Matt Tile

R10

Razred drsnosti | Slipperiness

BRazred drsnosti na mokri podlagi |
Slipperiness on Wet Surfaces**PEI****IV**Odpornost proti obrabi |
Abrasion Resistance**V3**Ploščice z rahlo razgibanim odtenkom
ali vzorcem / Tiles With Slight Shade or
Graphic Variation**13**Število različnih lic |
Number of Different Faces

BARVE | COLORS



927668 COTTO ROSSO



KUHINJSKI PROGRAM

Kitchen Programme

DIMENZIJE | Dimensions

25 x 60 cm | 9,8"x 23,6"

30 x 60 cm | 11,8"x 23,6"

58,5 x 58,5 cm | 23"x 23"

Notranje stenske ploščice | Indoor Wall Tiles
Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna ali gladka površina
Structured or Smooth Surface

Različna grafična lica | Different Faces

Mat ali sijajno
Matt or Glossy

Skladno z zahtevami standarda SIST EN 14411, aneks L skupina BIII
Classification in Accordance With SIST EN 14411 Annex L Group BIII
ali/or

Skladno z zahtevami standarda SIST EN 14411, aneks G skupina BI_a
Classification in Accordance With SIST EN 14411 Annex G Group BI_a


KAZALO PO TIPU IZDELKA IN FORMATU

Products Index by Typology and Formats




Kamen Stone

<u>STATUARIO 65 WHITE</u>	121
<u>STATUARIO DC GEOMETRIC 3D</u>	121
<u>STATUARIO DC MOSAIC 3D</u>	121
<u>STREAMS 65 WHITE</u>	121
<u>STREAMS WHITE DC PATCHWORK</u>	121
<u>TERRAZZO BEIGE</u>	125
<u>ICELAND SILK</u>	125
<u>ALASKA WHITE</u>	125




Cement Concrete

<u>SURFACE BEIGE DC PATCHWORK 3D</u>	123
<u>VISUAL WHITE DC PATCHWORK</u>	123
<u>VISUAL TAUPE DC BRICK 3D</u>	123



Barvito Colorful

<u>LUX DC MOSAIC 3D</u>	121
<u>BLOSSOM 65 BLUE</u>	121
<u>BLOSSOM WHITE DC PATCHWORK</u>	121
<u>AQUARELLE DC TROPIC 3D</u>	123
<u>AQUARELLE DC MOSAIC 3D</u>	123
<u>AQUARELLE DC JUNGLE</u>	123



Enobarvno Monocolor

<u>LUX WHITE DC BRICK 3D</u>	121
<u>LUX BEIGE DC BRICK 3D</u>	121
<u>LUX BLACK DC BRICK 3D</u>	121
<u>BLOSSOM 65 BLUE</u>	121
<u>ATLANTA WHITE DC MOSAIC 3D</u>	123
<u>ATLANTA BEIGE DC MOSAIC 3D</u>	123
<u>SURFACE BEIGE DC PATCHWORK 3D</u>	123

25 x 60 cm 9,8"x 23,6"

<u>LUX WHITE DC BRICK 3D</u>	121
<u>LUX BEIGE DC BRICK 3D</u>	121
<u>LUX BLACK DC BRICK 3D</u>	121
<u>LUX DC MOSAIC 3D</u>	121
<u>STATUARIO 65 WHITE</u>	121
<u>STATUARIO DC GEOMETRIC 3D</u>	121
<u>STATUARIO DC MOSAIC 3D</u>	121
<u>STREAMS 65 WHITE</u>	121
<u>STREAMS WHITE DC PATCHWORK</u>	121
<u>BLOSSOM 65 BLUE</u>	121
<u>BLOSSOM WHITE DC PATCHWORK</u>	121
<u>AQUARELLE DC TROPIC 3D</u>	123
<u>AQUARELLE DC MOSAIC 3D</u>	123
<u>AQUARELLE DC JUNGLE</u>	123
<u>ATLANTA WHITE DC MOSAIC 3D</u>	123
<u>ATLANTA BEIGE DC MOSAIC 3D</u>	123
<u>SURFACE BEIGE DC PATCHWORK 3D</u>	123
<u>VISUAL WHITE DC PATCHWORK</u>	123
<u>VISUAL TAUPE DC BRICK 3D</u>	123

30 x 60 cm 11,8"x 23,6"

<u>TERRAZZO BEIGE</u>	125
<u>ICELAND SILK</u>	125

58,5 x 58,5 cm 23,0"x 23,0"

<u>ALASKA WHITE</u>	125
---------------------	-----

KUHINJSKI PROGRAM

Kitchen Programme





Notranje stenske ploščice | Indoor Wall Tiles

Kuhinja je srce doma. Najbolj družaben prostor doma potrebuje ploščice, ki so vzdržljive in enostavne za čiščenje, brez žrtvovanja okusa ali oblikovalskih trendov. Ponujamo barvite ali vzorčaste ploščice na različnih površinah, ki ustrezajo vsem vašim potrebam in naredijo prostor prijetnejši.

Kitchen is the heart of the home. The most sociable room in the house needs tough and easy to clean tiles without sacrificing taste or design trends. We offer a splash of color or pattern in a range of flat or structured surfaces to accommodate all needs and make the space enjoyable.



Lux Black DC Brick 3D

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	pakotov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x60	9	1,35	20,60	64	86,40	1.320
Sredinski dekor Central Decor (m ²)	DC	25x60	9	1,35	20,00	32	43,20	620
3D struktura 3D Structure	3D	25x60	8	1,20	19,90	32	38,40	620



KUHINJSKI PROGRAM

Kitchen Programme

Notranje stenske ploščice | Indoor Wall Tiles


25x60 cm | 9.8"x 23.6"

Gladka ali reliefna površina | Smooth or Structured Surface

G Sijajna ploščica |
Glossy Tile

🏠 Primerno za bivalne površine |
Suitable for Residential Areas


👉 Stenska ploščica | Wall Tile



927365 LUX WHITE DC BRICK 3D



927366 LUX BEIGE DC BRICK 3D



927431 LUX BLACK DC BRICK 3D



927368 LUX DC MOSAIC 3D



927354 STATUARIO 65 WHITE



927357 STATUARIO DC GEOMETRIC 3D




927355 STATUARIO DC MOSAIC 3D




921847 STREAMS 65 WHITE



921850 STREAMS WHITE DC PATCHWORK



922834 BLOSSOM 65 BLUE



922838 BLOSSOM WHITE DC PATCHWORK

KUHINJSKI PROGRAM

Kitchen Programme

Notranje stenske ploščice | Indoor Wall Tiles



Aquarelle DC Jungle

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description	■	📦	📦	📦	📦	📦	📦
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile	👉	25x60	9	1,35	20,60	64	86,40	1.320
Sredinski dekor Central Decor (m ²)	DC	25x60	9	1,35	20,00	32	43,20	620
3D struktura 3D Structure	3D	25x60	8	1,20	19,90	32	38,40	620



KUHINJSKI PROGRAM

Kitchen Programme

Notranje stenske ploščice | Indoor Wall Tiles

25x60 cm | 9.8"x 23.6"

Gladka ali reliefna površina | Smooth or Structured Surface

M Mat ploščica |
Matt Tile

Primerno za bivalne površine |
Suitable for Residential Areas

Stenska ploščica | Wall Tile



927252 AQUARELLE DC TROPIC 3D



927253 AQUARELLE DC MOSAIC 3D



927251 AQUARELLE DC JUNGLE



926632 ATLANTA WHITE DC MOSAIC 3D



925736 SURFACE BEIGE DC PATCHWORK 3D



926634 ATLANTA BEIGE DC MOSAIC 3D



925792 VISUAL WHITE DC PATCHWORK



925796 VISUAL TAUPE DC BRICK 3D





KUHINJSKI PROGRAM

Kitchen Programme

Glazirane porcelainske ploščice | Glazed Porcelain Tiles



Alaska White

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	22,20	60	75,60	1.330
		58,5 x 58,5	4	1,369	26,60	32	43,808	850



KUHINJSKI PROGRAM

Kitchen Programme

Glazirane porcelainske ploščice | Glazed Porcelain Tiles

30x60 cm | 11,8"x 23,6"

58,5 cm x 58,5 cm | 23"x 23"


Gladka ali reliefna površina | Smooth or Structured Surface

M Mat ploščica |
Matt Tile

G Sijajna ploščica |
Glossy Tile

 Odpornost proti zmrzovanju |
Frost Resistance

 Primerno za zunanje površine |
Suitable for Outdoor Areas




M
LE

924062 TERRAZZO BEIGE



M
LE

925750 ICELAND SILK



G
LE

927665 ALASKA WHITE

PROJEKTNE STENSKE PLOŠČICE

Project Wall Tiles

DIMENZIJE | Dimensions

25 x 75 cm | 9.8"x 29.5"

25 x 60 cm | 9.8"x 23.6"

30 x 60 cm | 11.8"x 23.6"

Notranje stenske ploščice | Indoor Wall Tiles

Reliefna ali gladka površina
Structured or Smooth Surface


Različna grafična lica | Different Faces

Mat ali sijajno
Matt or Glossy

Skladno z zahtevami standarda SIST EN 14411, aneks L skupina BIII
Classification in Accordance With SIST EN 14411 Annex L Group BIII


KAZALO PO TIPU IZDELKA IN FORMATU

Products Index by Typology and Formats



Les
Wood


DESIRE 65 WHITE 131



Kamen
Stone

STATUARIO 65 WHITE 129

ONICE 65 WHITE 131




Cement
Concrete

AGRA 75 WHITE 129

VISUAL 65 WHITE 131

SURFACE 65 WHITE 131



Enobarvno
Monocolor

DREAM 65 WHITE 129

LUX 65 WHITE 129

LUCY 65 WHITE 129

ATLANTA 65 WHITE 131

ATLANTA WHITE DC MOSAIC 3D 131

SURFACE 65 WHITE 131

25 x 75 cm
9.8"x 29.5"

AGRA 75 WHITE 129

25 x 60 cm
9.8"x 23.6"

DREAM 65 WHITE 129

LUCY 65 WHITE 129

STATUARIO 65 WHITE 129

LUX 65 WHITE 129

ATLANTA 65 WHITE 131

ATLANTA WHITE DC MOSAIC 3D 131

ONICE 65 WHITE 131

VISUAL 65 WHITE 131

SURFACE 65 WHITE 131

DESIRE 65 WHITE 131

30 x 60 cm
11.8"x 23.6"

TERRAZZO GREY 131

ICELAND SILK 131

PROJEKTNE PLOŠČICE | Project Tiles





Notranje stenske ploščice | Indoor wall tiles

Prefinjena, minimalna, a privlačna paleta 8 belih odtenkov, ki predstavljajo različna razpoloženja, navdihnjena s privlačnostjo betona, mlečno belih tonov in naravnih vlaken.

Sophisticated, minimal yet appealing gamut of 8 white shades representing different moods inspired by materic appeal of concrete, milky whites and natural fibres.



Statuario 65 White, Taurus Pearl

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x75	8	1,50	23,30	42	63,00	980
		25x60	9	1,35	20,60	64	86,40	1.320



Project Tiles

Notranje stenske ploščice | Indoor Wall Tiles



Primerno za bivalne površine | Suitable for Residential Areas



Stenska ploščica | Wall Tile

25x75 cm | 9,8"x 29,5"

Gladka površina | Smooth surface




M

924598 AGRA 75 WHITE

25x60 cm | 9,8"x 23,6"

Gladka površina | Smooth surface



G

921935 DREAM 65 WHITE




G

922064 LUCY 65 WHITE



G

927354 STATUARIO 65 WHITE



G







927362 LUX 65 WHITE

PROJEKTNE PLOŠČICE | Project Tiles

Notranje stenske ploščice | Indoor Wall Tiles



Dream 65 White, Iceland Silk

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
Stenska ploščica Wall Tile		25x60	9	1,35	20,60	64	86,40	1.320
3D struktura 3D Structure		25x60	8	1,20	19,90	32	38,40	620
Odpornost proti zmrzovanju Frost Resistance		30x60	7	1,26	22,20	60	75,60	1.330



PROJEKTNE PLOŠČICE

Project Tiles

Notranje stenske ploščice | Indoor Wall Tiles




Primerno za bivalne površine | Suitable for Residential Areas



Stenska ploščica | Wall Tile

25x60 cm | 9,8"x 23,6"

Gladka ali reliefna površina | Smooth or Structured Surface



M

926626 ATLANTA 65 WHITE



G-M


3D

926632 ATLANTA WHITE DC MOSAIC 3D



M

926657 ONICE 65 WHITE



M

925789 VISUAL 65 WHITE



M

923634 SURFACE 65 WHITE



M

925739 DESIRE 65 WHITE

30x60 cm | 11,8"x 23,6"

33,8 x 36,4 cm | 13,3"x 14,1"

Reliefna površina | Structured surface



Mat ploščica | Matt Tile



Odpornost proti zmrzovanju | Frost Resistance



Primerno za zunanje površine | Suitable for Outdoor Areas



M

924063 TERRAZZO GREY



M

925750 ICELAND SILK

MOŽNE BARVNE KOMBINACIJE MED STENSKIMI & GLAZIRANIMI PORCELANSKIMI PLOŠČICAMI

Possible Wall &
Glazed Porcelain Tile
Color Combinations

Spremembe v tonu so zaradi narave proizvodnje neizogibne, zaradi česar je pred polaganjem priporočljiva barvna primerjava.
Shade variation across the batches is inherent to the manufacturing process and the pre-laying color comparison is recommended.

Reliefna ali gladka površina | Structured or Smooth Surface

Različna grafična lica | Different Faces

Mat ali sijajno | Matt or Glossy

BARVNE KOMBINACIJE | Color Combinations

25x75 cm

<p>AGRA BEIGE-BROWN</p> <p>Exotic/Fusion Chestnut Nordic Pine</p> <p>Terrazzo Beige Fenix Taupe Iceland Sand Fossil Cotto</p> <p>Cement Taupe</p>	<p>AGRA WHITE-GREY</p> <p>Sirius Pearl</p> <p>Nordic White Exotic/Fusion Oak</p> <p>Moon Pearl Fenix Graphite</p> <p>Cement Taupe</p>	<p>VALLETTA BEIGE</p> <p>Cotto Rosso</p> <p>Nordic Pine Exotic/Fusion Pine + Chestnut</p> <p>Terrazzo Beige Fenix Taupe Iceland Sand Fossil Cotto</p>	<p>VALLETTA GREY</p> <p>Sirius Pearl</p> <p>Nordic White</p> <p>Terrazzo Grey</p>	<p>NOSTALGIA</p> <p>Rustic/Forest Oak + Brown Nordic Native Oak Exotic/Fusion Oak + Chestnut</p> <p>Moon Pearl! + Ash Fenix Taupe Iceland Silk</p> <p>Cement</p>
--	--	--	--	---

25x60 cm

<p>ATLANTA/AQUARELLE WHITE-GREY</p> <p>Alaska White Andromeda Bone Sirius Pearl Urban Grey</p> <p>Rustic/Forest Grey + Oak + Brown Exotic/Fusion Pine + Oak Nordic Pine Aspen Grey</p> <p>Moon Ash Terrazzo Graphite Fenix Graphite + White Naxos Smoke</p> <p>Cement Grey</p>	<p>ATLANTA/AQUARELLE WHITE-BLUE</p> <p>Alaska White Sirius Pearl Urban Grey</p> <p>Rustic/Forest Legend Pine Native Nordic Exotic/Fusion Oak + Pine</p> <p>Moon Pearl! + Ash Terrazzo Graphite + Grey Fenix White Finestone Light Grey</p> <p>Taurus Pearl Cement Grey</p>	<p>ATLANTA/AQUARELLE WHITE-SAGE</p> <p>Alaska White Sirius Pearl Urban Grey Cotto Rosso</p> <p>Rustic/Forest White + Oak + Grey Legend Exotic/Fusion Oak + Pine + Chestnut Nordic White Native</p> <p>Moon Pearl + Ash Terrazzo Grey + Graphite Fenix White Naxos Smoke Iceland Silk + Mist Finestone Light Grey Fossil Sand Cement Grey</p>	<p>ATLANTA/AQUARELLE BEIGE-SAGE</p> <p>Sirius Pearl</p> <p>Rustic/Forest Grey + White Nordic Pine Native Ivory + Oak Exotic/Fusion Chestnut + Larch Legend</p> <p>Moon Pearl Terrazzo Beige Vicenza Beige Iceland Silk Finestone Brown Fossil Sand</p> <p>Taurus Sand</p>	<p>ATLANTA/AQUARELLE BEIGE-TAN</p> <p>Alaska White Sirius Pearl</p> <p>Rustic/Forest White Nordic Pine Native Ivory + Oak Exotic/Fusion Chestnut</p> <p>Moon Pearl Terrazzo Beige Fenix Taupe!! Iceland Sand Fossil</p>
<p>DALIA BEIGE</p> <p>Alaska White Sirius Pearl</p> <p>Native Almond Nordic Pine Exotic/Fusion Oak + Chestnut Aspen Brown Legend Pine</p> <p>Terrazzo Beige Iceland Cream + Sand Taurus Sand Cement Taupe</p>	<p>DALIA WHITE</p> <p>Alaska White Sirius Pearl</p> <p>Rustic/Forest White Nordic White Exotic/Fusion Pine Aspen Grey</p> <p>Moon Pearl! + Ash Terrazzo Graphite + Grey Iceland Silk Naxos Smoke</p> <p>Taurus Pearl Cement Grey</p>	<p>EAGLE BEIGE</p> <p>Alaska White Cotto Rosso</p> <p>Rustic/Forest White Exotic/Fusion Pine + Oak</p> <p>Terrazzo Beige Vicenza Beige Iceland Cream Finestone Beige Fossil Cotto</p>	<p>EAGLE GREY</p> <p>Alaska White Cotto Rosso</p> <p>Rustic/Forest White Exotic/Fusion Pine + Oak</p> <p>Terrazzo Beige Vicenza Beige Iceland Cream Finestone Beige Fossil Cotto</p>	<p>DESIRE BEIGE</p> <p>Alaska White Sirius Pearl</p> <p>Rustic/Forest Oak + Brown Native Ivory + Oak Exotic/Fusion Chestnut + Oak</p> <p>Terrazzo Beige Vicenza Beige Finestone Brown</p>

DESIRE GREY
<p>Andromeda Bone Sirius Pearl Urban Grey</p> <p>Rustic/Forest Oak Nordic Pine Exotic/Fusion Oak Legend Pine</p> <p>Moon Pearl Fenix White + Graphite Vicenza Grey Iceland Silk Finestone Light Grey</p> <p>Taurus Pearl</p>

SURFACE WHITE-BEIGE
<p>Alaska White Sirius Pearl</p> <p>Rustic/Forest Oak Exotic/Fusion Oak Aspen Brown Legend Pine</p> <p>Moon Pearl Terrazzo Beige Fenix Taupe Vicenza Beige Iceland Cream + Sand Fossil Sand</p> <p>Taurus Sand Cement Taupe</p>

ONICE BEIGE
<p>Alaska White</p> <p>Rustic/Forest Grey Exotic/Fusion Oak Nordic Pine Native Aspen Brown Legend Pine</p> <p>Iceland Cream</p> <p>Taurus Sand</p>

ONICE WHITE
<p>Urban Grey</p> <p>Vsi Lesi (Razen White - Rustic/Forest/Nordic White) All Wood's - (Except White Ones - Rustic/Forest/Nordic White) Aspen Grey Exotic/Fusion</p> <p>Moon Ash Terrazzo Grey Fenix Graphite + Taupe</p> <p>Taurus Pearl Cement Grey</p>

VISUAL WHITE-TAUPE
<p>Andromeda Bone Sirius Pearl</p> <p>Rustic/Forest White Nordic Exotic/Fusion Oak! Aspen Brown</p> <p>Moon Pearl! Terrazzo Beige Iceland Sand</p> <p>Taurus Sand Cement Taupe</p>

VISUAL WHITE-GREY
<p>Exotic/Fusion Oak + Pine</p> <p>Fenix Graphite! + White Terrazzo Graphite + Grey Moon Pearl + Ash! Iceland Silk</p> <p>Cement Grey</p>

STATUARIO WHITE
<p>BELA JE UNIVERZALNA Priporočamo kombinatoriko z različnimi vzorci in slogi, da najdete koncept ki vam je všeč - minimalizem, glamur, rustikalni, industrijski, sredozemski, toplo-hladen kontrast, mat-sijajen kontrast...</p> <p><i>WHITE IS UNIVERSAL We recommend combining different patterns and styles, to find the concept you would like. Whether is that minimalism, glamorous, rustic, industrial, Mediterranean, warm-cool contrast, matt-glossy contrast...</i></p>

MARBLE BLACK
<p>Alaska White Urban Grey</p> <p>Exotic/Fusion Chestnut + Oak Nordic</p> <p>Moon Ash Terrazzo Grey Fenix Graphite + White Vicenza Grey Iceland Mist</p> <p>Taurus Antracite Cement Grey</p>

IBIZA COFFEE-LATTE
<p>Alaska White Sirius Pearl</p> <p>Rustic/Forest White + Brown Nordic Pine Native Ivory + Oak Aspen Brown Legend Pine</p> <p>Terrazzo Beige Vicenza Beige Iceland Sand + Silk Fossil Sand</p> <p>Taurus Sand</p>

IBIZA WHITE-GREY
<p>Alaska White</p> <p>Exotic/Fusion Pine Nordic Pine Native Oak Aspen Grey</p> <p>Fenix White + Graphite!! Vicenza Grey</p>

LUX WHITE
<p>Alaska White Sirius Pearl Urban Grey</p> <p>Rustic/Forest White Exotic/Fusion Oak Nordic Native Oak Aspen Legend Pine</p> <p>Moon Ash! + Pearl! Terrazzo Graphite + Grey Fenix Graphite Vicenza Beige Naxos Smoke Iceland Mist + Silk</p> <p>Taurus Antracite Cement Grey</p>

LUX BLUE
<p>Alaska White Sirius Pearl Cotto Rosso</p> <p>Aspen Grey! Legend Oak</p> <p>Moon Pearl + Ash Terrazzo Grey Vicenza Grey Iceland Mist Finestone White</p>

LUX BEIGE
<p>Forest Brown Nordic Pine! Native Ivory! + Oak Aspen Brown Legend Pine Exotic/Fusion Oak</p> <p>Terrazzo Beige Fenix Taupe Vicenza Beige Iceland Cream Fossil Sand</p> <p>Taurus Sand</p>

BLOSSOM WHITE-BLUE
<p>Alaska White Sirius Pearl Urban Grey</p> <p>Forest/Rustic Legend Oak Exotic/Fusion Oak</p> <p>Moon Pearl Terrazzo Grey Fenix White Vicenza Grey Finestone Brown</p> <p>Taurus Antracite + Pearl Cement Grey</p>

BLOSSOM BEIGE-BROWN
<p>Alaska White Sirius Pearl</p> <p>Aspen Brown Legend Pine</p> <p>Terrazzo Beige Fenix Taupe! + Graphite Iceland Sand Finestone Brown</p> <p>Cement Taupe</p>

LUCY WHITE-VIOLET
Alaska White
Forest/Rustic White + Grey + Oak
Moon Pearl + Ash
Terrazzo Grey
Fenix White
Iceland Silk
Finestone Light Grey + White
Taurus Pearl
Cement Grey

DREAM WHITE-LIGHT COFFEE
Alaska White
Sirius Pearl
Exotic/Fusion Oak!
Moon Pearl
Terrazzo Beige
Iceland Sand
Fossil Sand
Cement Taupe

DREAM WHITE-COFFEE
Alaska White
Sirius Pearl
Exotic/Fusion Chestnut
Moon Pearl
Terrazzo Beige
Fenix Taupe
Finestone White
Cement Taupe

STREAMS WHITE-BROWN
Alaska White
Andromeda Bone
Forest/Rustic White
Exotic/Fusion Oak
Aspen Brown
Legend Pine
Moon Pearl
Terrazzo Beige
Fenix White
Vicenza Beige
Iceland Silk
Finestone White
Fossil Sand
Taurus Sand
Cement Taupe

STREAMS WHITE-GREY
Sirius Pearl
Urban Grey
Legend Pine
Moon Ash
Terrazzo Grey
Fenix White
Iceland Silk + Mist
Finestone White

20x50 cm

ETNA BEIGE-BROWN
Exotic/Fusion Pine!
Native Ivory
Iceland Cream

ETNA WHITE-GREY
Rustic/Forest Grey
Fenix White + Graphite
Vicenza Grey
Iceland Silk + Mist
Finestone White

ADORE WHITE-GREY
Alaska White
Andromeda Bone
Sirius Pearl
Urban Grey
Exotic/Fusion Oak + Pine + Chestnut
Aspen Grey
Moon Ash
Terrazzo Grey
Fenix Graphite
Vicenza Grey
Finestone White
Cement Grey

ADORE BEIGE-BROWN
Forest Brown
Nordic
Aspen Beige
Terrazzo Beige
Fenix Taupe!
Vicenza Beige
Iceland Sand
Storm Beige
Fossil Cotto+Sand
Taurus Sand

SENSO WHITE-GREY
Sirius Pearl
Rustic/Forest White
Exotic/Fusion Pine + Oak
Nordic White
Aspen Grey
Fenix White
Finestone White
Cement Grey

TEHNIČNE INFORMACIJE

Za več informacij obiščite spletno stran Gorenje Keramika na
<https://www.keramika-gorenje.si/novica/podrobno/4925/24576/katalog> ali skenirajte to QR kodo



Technical Information

For further information visit the Gorenje Keramika website at
<https://ceramics-gorenje.com/novica/podrobno/4320/22218/catalogue> or scan this QR code



Notranje stenske ploščice | Indoor Wall Tiles
Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Tehnične informacije

*Technical
Information*

TEHNIČNE LASTNOSTI NOTRANJE STENSKÉ PLOŠČICE	138
<i>Technical Features Indoor Wall Tiles</i>	143
TEHNIČNE LASTNOSTI GLAZIRANE PORCELANSKE PLOŠČICE	139
<i>Technical Features Glazed Porcelain Tiles</i>	144
TEHNIČNE INFORMACIJE	140-142
<i>Technical Information</i>	145-147

Navodila in nasveti

*Installation Guide and
Advice*

NAVODILAZAVGRADNJO	148-149
<i>Instructions for Installation</i>	150-151
FUGIRANJE	148
<i>Grouting</i>	150
REKLAMACIJE	148
<i>Complaints</i>	150
VZDRŽEVANJE IN ČIŠČENJE	149
<i>Maintenance and cleaning</i>	151
OPOMBA	151
<i>Note</i>	151
PRIPOROČENI NAČINI POLAGANJA	152
<i>Laying Solutions</i>	152

Logistični podatki

Logistic Data












PAKIRANJE GOTOVIH IZDELKOV	153-154
<i>Packing of Finished Products</i>	153-154

Dodatne informacije













*Additional
Information*

TEHNIČNI NAČRTI MOZAIKOV	154
<i>Technical design for mosaics</i>	154

TEHNIČNE LASTNOSTI NOTRANJE STENSKE PLOŠČICE

SKLADNOST S STANDARDOM			STENSKA PLOŠČICA Skupina B III SIST EN 14411, Dodatek L	
Simbol	Lastnost	Testna metoda	Zahteve standarda	Gorenje Keramika
	Dolžina in širina	EN ISO 10545-2	± 0,5 % ± 2,0 mm	ustreza
	Debelina	EN ISO 10545-2	± 10 % ± 0,5 mm	ustreza
	Ravnost robov	EN ISO 10545-2	± 0,3 % ± 1,5 mm	ustreza
	Pravokotnost	EN ISO 10545-2	± 0,5 % ± 2,0 mm	ustreza
	Ravnost površine	EN ISO 10545-2	+ 0,5 % / - 0,3 % + 2,0 mm / - 1,5 mm	ustreza
	Kakovost površine	EN ISO 10545-2	min. 95% brez vidnih napak	ustreza
	Vpijanje vode	EN ISO 10545-3	E > 10 %	ustreza
	Upogibna trdnost	EN ISO 10545-4	≥ 12 N/mm ² (debelina ≥ 7,5 mm) ≥ 15 N/mm ² (debelina < 7,5 mm)	> 20 N/mm ²
	Zlomna sila	EN ISO 10545-4	≥ 600 N (debelina ≥ 7,5 mm) ≥ 200 N (debelina < 7,5 mm)	ustreza
PEI	Odpornost proti obrabi (PEI)	EN ISO 10545-7	/	/
	Odpornost proti hitrim temperaturnim razlikam	EN ISO 10545-9	brez vidnih napak	ustreza
	Odpornost proti lasastim razpokam	EN ISO 10545-11	zahtevana	ustreza
	Odpornost proti nizkim koncentracijam kislin in alkalij	EN ISO 10545-13	min. B	A
	Odpornost proti madežem	EN ISO 10545-14	min. razred 3	razred 5

TEHNIČNE LASTNOSTI GLAZIRANE PORCELANSKE PLOŠČICE

SKLADNOST S STANDARDOM			GLAZIRANE PORCELANSKE PLOŠČICE Group B I ^a SIST EN 14411, Dodatek G		
Simbol	Lastnost	Testna metoda	Zahteve standarda		Gorenje Keramika
	Dolžina in širina	EN ISO 10545-2	± 0,6 %	± 2,0 mm	ustreza
	Debelina	EN ISO 10545-2	± 5,0 %	± 0,5 mm	ustreza
	Ravnost robov	EN ISO 10545-2	± 0,5 %	± 1,5 mm	ustreza
	Pravokotnost	EN ISO 10545-2	± 0,5 %	± 2,0 mm	ustreza
	Ravnost površine	EN ISO 10545-2	± 0,5 %	± 2,0 mm	ustreza
	Kakovost površine	EN ISO 10545-2	min. 95% brez vidnih napak		ustreza
	Vpijanje vode	EN ISO 10545-3	$E_b \leq 0,5 \%$		ustreza
	Upogibna trdnost	EN ISO 10545-4	$\geq 35 \text{ N/mm}^2$		ustreza
	Zlomna sila	EN ISO 10545-4	$\geq 1.300 \text{ N}$		ustreza
PEI	Odpornost proti obrabi (PEI)	EN ISO 10545-7	PEI razred 0-5		PEI razred 3-4
	Odpornost proti zamrzovanju	EN ISO 10545-12	Zahtevana		ustreza
	Odpornost proti lasastim razpokam	EN ISO 10545-11	zahtevana		ustreza
	Odpornost proti nizkim koncentracijam kislin in alkalij	EN ISO 10545-13	min. B		A
	Odpornost proti madežem	EN ISO 10545-14	Min. razred 3		Razred 5
R10	Drsnost	DIN EN 16165 B DIN EN 16165 A	Razred R9-R13 Skupina 0-C		Glej katalog



Spoštovani kupci!

V pomoč za preprečitev morebitnih pritožb strank vam priporočamo, da vsem, ki se oskrbujejo s keramičnimi ploščicami Gorenje Keramika, ponudite kopijo s temi informacijami. Zahvaljujemo se vam za sodelovanje.

Standardi

Gorenje Keramika proizvaja suho stisnjene, stenske keramične ploščice v tehnologiji monoporose, dekorne keramične ploščice ter glazirane porcelanske ploščice v tehnologiji gres porcellanato.

- Standard SIST EN 14411 se uporablja kot nacionalni standard, ki ga je objavil Evropski odbor za standardizacijo CEN.
- Ta standard je enak mednarodnemu standardu EN 14411, ki se uporablja v vseh državah članicah CEN v Evropi.
- Standard SIST EN 14411: Keramične ploščice – Definicije, razvrstitev, lastnosti, vrednotenje skladnosti in označevanje, določa izraze in opredeljuje lastnosti za keramične ploščice najboljše komercialne kakovosti (1. kakovostni razred).

V skladu s standardom se keramične ploščice glede na metodo oblikovanja in vpijanje vode razvrščajo v skupine:

METODA OBLIKOVANJA	Suho stisnjene keramične ploščice				
	$E \leq 0,5 \%$	$0,5 \% < E \leq 3 \%$	$3 \% < E \leq 6 \%$	$6 \% < E \leq 10 \%$	$E > 10 \%$
Vpijanje vode					
Skupina	B I _a	B I _b	B II _a	B II _b	B III

Keramične ploščice Gorenje Keramika so razdeljene v naslednje skupine:

- Skupina BIII, Dodatek L (stenske keramične ploščice)
- Skupina BI_a, Dodatek G (glazirane porcelanske ploščice)

Odpornost proti obrabi glaziranih keramičnih ploščic in njihova razvrstitev v PEI razrede

- Odpornost proti obrabi je lastnost, ki se upošteva pri izbiri talnih keramičnih ploščic, namenjenih za vgradnjo na določeno mesto.
- Odpornost proti obrabi kaže lastnost glazirane površine keramične ploščice glede na površinsko obrabo. Odpornost proti obrabi se določa s pomočjo vrtenja abrazivnega medija na površini keramične ploščice ter z ocenjevanjem obrabe s pomočjo vizualne primerjave videza keramične ploščice, ki je bila izpostavljena obrabi, in keramične ploščice, ki pri testiranju ni bila izpostavljena obrabi
- Izdelek se ocenjuje po lestvici od 0 do 5 (5 je najvišji razred odpornosti proti obrabi površine glaziranih keramičnih ploščic).

Razvrstitev v PEI razrede glaziranih porcelanskih ploščic glede na njihovo odpornost proti obrabi.

PEI	Možnost vgradnje
0	Glazirane keramične ploščice tega razreda niso priporočljive za talne obloge.
1	Keramične ploščice so primerne za tla, kjer večinoma hodimo v obuvalih z mehкими podplati ali bosih, kjer ni umazanije (npr. kopalnice in spalnice brez neposrednega dostopa od zunaj).
2	Keramične ploščice so primerne za tla, kjer hodimo v obuvalih z mehкими ali normalnimi podplati in kjer redkeje pride do manjše količine umazanije, ki lahko povzroči razenje keramičnih ploščic (na primer bivalni prostori, niso pa primerne za kuhinje, hodnike ali bolj obremenjene prostore). Niso primerne za hojo v obutvi z grobimi podplati, kot so na primer podkovani čevlji.
3	Keramične ploščice so primerne za tla, kjer hodimo z normalno obutvijo in kjer je lahko pogosto prisotna tudi manjša količina umazanije, ki lahko povzroči razenje keramičnih ploščic (kuhinje, hodniki, prehodi, balkoni in lože). Niso primerne za hojo v obutvi z grobimi podplati, kot so na primer podkovani čevlji.
4	Keramične ploščice so primerne za tla, kjer je redna pohodna obremenitev in je prisotna tudi umazanija, ki lahko povzroči razenje keramičnih ploščic. Razmere so težje, kot v razredu 3 (na primer vhodi, javne kuhinje, hoteli, razstavne in prodajne dvorane).
5	Keramične ploščice so primerne za tla s stalno veliko pohodno obremenitvijo in grobo umazanijo, torej v najslabših razmerah, za kar so keramične ploščice še lahko primerne (npr. javna področja, kot so nakupovalni centri, letališke in hotelske avle, javne pešpoti ter industrijska uporaba).

Ta razvrstitev je veljavna za uporabo v običajnih pogojih. Informacija o odpornosti proti obrabi je navedena poleg glaziranih porcelanskih ploščic.

TEHNIČNE INFORMACIJE

Odpornost glaziranih porcelanskih ploščic proti zdrsu

A+B+C:

PROTIZDRSNE LASTNOSTI (DIN EN 16165 A):

Standard DIN EN 16165 aneks A je evropski standard za določanje odpornosti talnih oblog proti zdrsu na mokri podlagi. Metoda testiranja v aneksu A opisuje hojo bosonoge osebe po rampi, ki je nagnjena pod različnimi koti, po kateri kontinuirno teče voda. Klasifikacijski sistem za protizdrsne lastnosti DIN EN 16165 A je razdeljen na tri ocene: A, B (A + B), C (A + B + C).

R:

PROTIZDRSNE LASTNOSTI (DIN EN 16165 B)

Standard DIN EN 16165 aneks B je evropski standard za določanje odpornosti talnih oblog proti zdrsu za delovne prostore in področja dejavnosti z nevarnostjo zdrsa. Metoda v aneksu B definira potek testa. Testna oseba obuta v predpisano obutev stopa po rampi, ki je nagnjena pod različnimi koti, kjer se uporablja olje kot testna tekočina. Klasifikacijski sistem za protizdrsne lastnosti DIN EN 16165 B je razdeljen na 5 razredov: R9, R10, R11, R12, R13.

SKLADNOST S STANDARDOM		GLAZIRANE PORCELANSKE PLOŠČICE	
Lastnost	Testna metoda	Zahteve standarda Povprečni kot zdrsa	Zahteve standarda Razvrstitev po razredih
Odpornost talnih površin proti zdrsu- Bosonoga hoja na mokri površini – Bosonogi test na rampi	DIN EN 16165 A	$12^{\circ} \leq \alpha \leq 18^{\circ}$	A
		$18^{\circ} \leq \alpha \leq 24^{\circ}$	B
		$\alpha \leq 18^{\circ}$	C
Odpornost talnih površin proti zdrsu- Področja dejavnosti z nevarnostjo zdrsa - Test na rampi z obutvijo	DIN EN 16165 B	$6^{\circ} \leq \alpha \leq 10^{\circ}$	R 9
		$10^{\circ} \leq \alpha \leq 19^{\circ}$	R 10
		$19^{\circ} \leq \alpha \leq 27^{\circ}$	R 11
		$27^{\circ} \leq \alpha \leq 35^{\circ}$	R 12
		$\alpha \leq 35^{\circ}$	R 13

Drsnost keramičnih ploščic z nihalom - Pendulum test

Drsnost keramičnih ploščic je tehnična lastnost, pomembna za talne keramične ploščice, ki prihajajo v stik z vodo in imajo potencialno visoko raven drsnosti. Preskusna metoda za določanje drsnosti keramičnih ploščic z nihalom se imenuje Pendulum test, PTV. Naprava za določitev drsnosti posredno ali neposredno meri koeficient trenja med materialom talne podlage in materialom, ki predstavlja podplat čevlja.

Razred drsnosti	PTV _{SUH ALI MOKER}	Opis
1	0–24	Večja možnost zdrsa
2	25–35	Zmerna možnost zdrsa
3	36+	Manjša možnost zdrsa

PTV_S – drsnost keramičnih ploščic na suhi podlagi

PTV_M – drsnost keramičnih ploščic na mokri podlagi












Videz keramičnih ploščic in njihova izbira glede na mesto vgradnje

- Pri izbiri keramičnih ploščic je potrebno poleg vizualnih značilnosti (barva, dekor, tekstura, dekorativni elementi,...) upoštevati tudi tehnične lastnosti keramičnih ploščic.
- V dodatku standarda SIST EN 14411 so predpisane tehnične zahteve keramičnih ploščic glede njihovih tehničnih lastnosti: dimenzije, kakovost vidnih površin, fizikalne in kemijske lastnosti.
- Skladnost tehničnih lastnosti keramičnih ploščic se preverja v skladu z evropskimi standardi, njihove lastnosti pa navede proizvajalec. Metode za testiranje, ki se uporabljajo za določanje lastnosti keramičnih ploščic, so opisane v standardu EN ISO 10545.
- Lastnosti keramičnih ploščic so navedene na kartonski embalaži in v Izjavi o lastnostih (DoP), ki predstavlja glavni vir informacij za kupca.















Pakiranje, označevanje, identifikacija in skladiščenje izdelkov

- Keramične ploščice Gorenje Keramika so razvrščene v kakovostne razrede in pakirane v kartonsko embalažo.
- Na kartonski embalaži s keramičnimi ploščicami so podatki, potrebni za identifikacijo izdelka: dimenzija in ime keramične ploščice, kaliber, niansa, datum proizvodnje, količina pakiranja (m² ali kos).
- Kaliber določa dovoljena dimenzijska odstopanja med dejansko in proizvodno mero keramične ploščice. Velikost keramične ploščice, določene za izdelavo, imenujemo proizvodna mera.
- V skladu s standardom EN 14411 so v procesu proizvodnje keramičnih ploščic minimalne spremembe barvnih nians neizogibne. Pri nakupu je treba biti pozoren, da so vse keramične ploščice, namenjene za vgradnjo na eni površini, iste nianse.
- Na zahtevo kupca se na embalažo natisne 13-mestna EAN črna koda. Keramične ploščice so pakirane v kartonske škatle in zložene na paleto.
- Da lahko zagotovimo sledljivost izdelka, mora biti le-ta v originalni embalaži do začetka vgradnje.
- Neprimerno rokovanje lahko povzroči poškodbe na izdelku (lomi, okruški, razpoke,...).
- Izdelek, ki bo skladiščen dlje časa na prostem, mora biti ustrezno zaščiten pred zmrzovanjem.

TECHNICAL FEATURES INDOOR WALL TILES

CONFORMITY TO NORMS			WALL TILES Group B III SIST EN 14411, Annex L		
Symbol	Characteristic	Test method	Standard requirements		Gorenje Keramika
	Length and width	EN ISO 10545-2	± 0,5 %	± 2,0 mm	conforms
	Thickness	EN ISO 10545-2	± 10 %	± 0,5 mm	conforms
	Straightness of sides	EN ISO 10545-2	± 0,3 %	± 1,5 mm	conforms
	Rectangularity	EN ISO 10545-2	± 0,5 %	± 2,0 mm	conforms
	Surface flatness	EN ISO 10545-2	+ 0,5 % / - 0,3 % + 2,0 mm / - 1,5 mm		conforms
	Surface quality	EN ISO 10545-2	min. 95 % no visible defects		conforms
	Water absorption	EN ISO 10545-3	E > 10 %		conforms
	Modulus of rupture	EN ISO 10545-4	≥ 12 N/mm ² (thickness ≥ 7,5 mm) ≥ 15 N/mm ² (thickness < 7,5 mm)		> 20 N/mm ²
	Breaking strength	EN ISO 10545-4	≥ 600 N (thickness ≥ 7,5 mm) ≥ 200 N (thickness < 7,5 mm)		conforms
PEI	Abrasion resistance (PEI)	EN ISO 10545-7	/		/
	Thermal shock resistance	EN ISO 10545-9	no visible defects		conforms
	Crazing resistance	EN ISO 10545-11	no crazing		conforms
	Resistance to low acid and alkaline concentrations	EN ISO 10545-13	min. B		A
	Resistance to staining	EN ISO 10545-14	min. class 3		class 5

TECHNICAL FEATURES GLAZED PORCELAIN TILES

Symbol	CONFORMITY TO NORMS		GLAZED PORCELAIN TILES Group B I SIST EN 14411, Annex G	
	Characteristic	Test method	Standard requirements	Gorenje Keramika
	Length and width	EN ISO 10545-2	± 0,6 % ± 2,0 mm	conforms
	Thickness	EN ISO 10545-2	± 5,0 % ± 0,5 mm	conforms
	Straightness of sides	EN ISO 10545-2	± 0,5 % ± 1,5 mm	conforms
	Rectangularity	EN ISO 10545-2	± 0,5 % ± 2,0 mm	conforms
	Surface flatness	EN ISO 10545-2	± 0,5 % ± 2,0 mm	conforms
	Surface quality	EN ISO 10545-2	min. 95% no visible defects	conforms
	Water absorbing	EN ISO 10545-3	$E_b \leq 0,5 \%$	conforms
	Modulus of rupture	EN ISO 10545-4	$\geq 35 \text{ N/mm}^2$	conforms
	Breaking strength	EN ISO 10545-4	$\geq 1.300 \text{ N}$	conforms
	Resistance to surface abrasion	EN ISO 10545 - 7	PEI Class 0-5	PEI Class 3-4
	Crazing resistance	EN ISO 10545-11	No crazing	conforms
	Frost resistance	EN ISO 10545-12	Required	conforms
	Resistance to low acid and alkaline concentrations	EN ISO 10545-13	min. B	A
	Resistance to stains	EN ISO 10545-14	Min. class 3	Class 5
	Slipperiness	DIN EN 16165 B DIN EN 16165 A	Class R9-R13 Group 0-C	See catalogue

TECHNICAL INFORMATIONS

Dear Buyers,

In order to prevent complaints from the customers, we recommend you to copy this document with information and deliver it to your customers, buying Gorenje Keramika tiles. Thank you for your cooperation.

Standards

Gorenje Keramika is manufacturing dry-pressed wall tiles with monoporse technology as well as decor tiles and glazed porcelain tiles with gres porcellanato technology.

- Standard SIST EN 14 411 is used as national standard, as published by the European Council for CEN standardization.
- This standard corresponds to the standard EN 14 411, which is in use in all member states in Europe, which are members of CEN.
- Standard SIST EN 14 411: Ceramic tiles - Definitions, classification, characteristics, evaluation of conformity and marking, defines terms and characteristics for ceramic tiles of premium class (1st quality class).

In accordance with the applicable standard, the tiles are classified in groups, considering the shaping technique and water absorption:

SHAPING METHOD	Dry-pressed Ceramic Tiles				
Water Absorption	$E \leq 0,5 \%$	$0,5 \% < E \leq 3 \%$	$3 \% < E \leq 6 \%$	$6 \% < E \leq 10 \%$	$E > 10 \%$
Group	B Ia	B Ib	B IIa	B IIb	B III

Ceramic tiles Gorenje Keramika are categorised in three groups:

- Group BIII, Annex L (wall tiles)
- Group BI_a, Annex G (glazed porcelain tiles)

Resistance to Abrasion of Glazed Porcelain Tiles and Their Classification in PEI Classes

- Resistance to abrasion is a characteristic, which should be considered when selecting the floor tiles to be installed in specific place;
- Resistance to abrasion demonstrates characteristic of the glazed surface of the tile resistant to abrasion. Resistance to abrasion is determined by means of rotating the abrasive medium on the surface of the ceramic followed by evaluating the abrasion effect by visually comparing the appearance of the tile subjected to abrasion and the tile that was not subjected to abrasion.
- The product is graded from 0 to 5 (5 is the highest grade of resistance to abrasion of the glazed tile surface).

Grading to PEI Classes of Glazed Porcelain Tiles Considering Resistance To Abrasion

PEI	Installation options
0	Glossy tiles, not recommended for use as floor tiles.
1	Tiles are recommended for floors where traffic is made mostly with bear foot or soft soles, no dirt present (e.g. bathrooms and bedrooms, no direct access from outside).
2	Tiles are recommended for floors where traffic is made mostly with soft or normal soles, with occasional dirt present in smaller extent, which can cause abrasion of tiles (e.g. living rooms; but not for kitchen, hallways or rooms with frequent traffic). Not suitable for traffic with shoes with rough soles, heavy-duty shoes.
3	Tiles are recommended for floors where traffic is made mostly with normal footwear, with frequent presence of smaller amount of dirt, which can cause abrasion of tiles (e.g. kitchen, hallways, passages, balconies and loggias). Not suitable for traffic with shoes with rough soles, like heavy-duty shoes.
4	Tiles are recommended for floors with regular traffic load, with presence of dirt, which can cause abrasion of tiles. Conditions are more harsh than in class 3 (e.g. public kitchens, entrance, hotels, sales areas, exhibition rooms).
5	Tiles are recommended for floors with permanent and frequent traffic with presence of dirt, very harsh conditions, but still appropriate for use of tiles 3 (e.g. public areas, like shopping malls, airport and hotel hallways, public pathways, industrial use).



This classification applies in case of use under normal conditions. Information concerning resistance to abrasion is defined next to floor ceramic tiles.

Determination of slip resistance of Glazed Porcelain Tiles

A+B+C:

ANTI-SLIP PROPERTIES ON WET SURFACES (DIN EN 16165 A):

European Standard DIN EN 16165 Annex A determinate anti-slip properties on wet areas. The method in Annex A describes the test method which involves the operator treading barefoot on the ramp, inclined at various angles, using water as the test liquid. The classification system for anti-slip properties is divided into 3 ratings: A, B (A+B), C (A+B+C).

R:

ANTI-SLIP PROPERTIES (DIN EN 16165 B):

European Standard DIN EN 16165 Annex B determinate anti-slip properties of floor coverings for workrooms and fields of activities with slip danger. The method in Annex B describes the test method which involve the operator wearing specified shoes treading on a ramp, inclined at various angles, using oil as the test liquid. The classification system for anti-slip properties is divided into 5 ratings: R9, R10, R11, R12 and R13.

CONFORMITY TO NORMS		GLAZED PORCELAIN TILES	
Characteristic	Test Method	Standard Requirements Average Slip Angle	Standard Requirements Class Classification
Determination of the anti-slip properties on wet surfaces – Walking method – Barefoot ramp test	DIN EN 16165 A	$12^{\circ} \leq \alpha \leq 18^{\circ}$	A
		$18^{\circ} \leq \alpha \leq 24^{\circ}$	B
		$\alpha \leq 18^{\circ}$	C
Determination of the anti-slip properties - Workrooms and fields of activities with raised slip danger-Walking method – Shod ramp test	DIN EN 16165 B	$6^{\circ} \leq \alpha \leq 10^{\circ}$	R 9
		$10^{\circ} \leq \alpha \leq 19^{\circ}$	R 10
		$19^{\circ} \leq \alpha \leq 27^{\circ}$	R 11
		$27^{\circ} \leq \alpha \leq 35^{\circ}$	R 12
		$\alpha \leq 35^{\circ}$	R 13

Slip Resistance of Ceramic Tiles – Pendulum Test

Slip resistance of ceramic tiles is a technical characteristic, which is important for floor tiles coming in contact with water and with high potential slipping characteristic level. Slip resistance of ceramic tile is tested with testing method called Pendulum test, PTV. The device for determining slip resistance measures the friction coefficient directly and indirectly between the material of the flooring base and material representing the sole of the shoe.

Slip resistance class	PTV _{DRY} OR PTV _{WET}	Description
1	0–24	High possibility of slip
2	25–35	Moderate possibility of slip
3	36 +	Low possibility of slip

PTV_{DRY} – slip resistance of tile on dry surface

PTV_{WET} – slip resistance of tile on wet surface

TECHNICAL INFORMATION

Visual Appearance of Tiles and Selection of Tiles Considering the Place of Installation

- When selecting the tiles, next to the visual characteristics of the tile (colour, decor, texture, decorative elements,...) the technical characteristics of ceramic tiles must be taken into account.
- In Annex to standard SIST EN 14 411, minimum technical requirements concerning technical characteristics of the tiles are specified: dimensions, quality of visual surfaces, physical and chemical characteristics.
- Conformity of technical characteristics of ceramic tiles is checked in accordance with European standard and their characteristics must be listed by the manufacturer. Test methods used for defining the characteristics of the ceramic tiles are defined in standards EN ISO 10 545.
- All characteristics are identified on the cardboard box and in the Declaration of Performance (DoP), a document which is the main source of information for the buyer.

Packaging, Marking, Identification and Storage of the Product

- The Gorenje Keramika tiles are automatically sorted by quality classes and packaged in cardboard packaging.
- Packaging unit for ceramic tiles (box) includes all data required for identification of the product: dimensions and name of the tile, caliber, shade, date of manufacture, packaging quantity (m² or number of pcs.).
- The caliber defines permitted dimension tolerance between the actual dimension and the manufacturing dimension of the tile. The size of the tile defined for manufacture is called manufacturing dimension.
- In accordance with standard EN 14411 the minimum changes in colour are inevitable during the manufacturing process. When buying the tiles, be careful and make sure that all the tiles used for installation on one surface have the same shade.
- Upon the request of the buyer, a special 13 digit EAN barcode can be printed on the box. The tiles are packaged into cardboard box and stacked on the pallet.
- In order to assure the product keeps its characteristic features, the tiles must be stored in original packaging until the installation.
- Handling/manipulation with the tiles other than recommended/appropriate, may cause damages to the product (breach, chipping, fissures,...).
- If the product is to be stored outdoors for a longer period of time, make sure it is properly protected against freezing.

NAVODILA IN NASVETI

Navodila in priporočila za vgradnjo

- Pred vgradnjo keramičnih ploščic preverite kaliber, nianso in kakovost izdelka.
- Priporočljivo je, da se pri vgradnji vedno pomešajo keramične ploščice iz različnih škatel ter pregleda ustreznost nians in kalibrov.
- Da preprečite neustrezen videz vgrajenih keramičnih ploščic, jih predhodno namestite na ravno površino in jih vgradite le, če celoten izgled ustreza vašim željam.
- Preberite opozorila na kartonski embalaži in jih upoštevajte.
- Stenske ploščice pred vgradnjo namočite v vodi.
- Uporabite primerno orodje za vgradnjo keramičnih ploščic (rezalko z diamantnim rezilom, zobato lopatico, belo gumijasto kladivce, klešče za keramične ploščice, gumijasto lopatico za fugiranje).
- Poskrbite, da je površina, na katero se bodo vgradile keramične ploščice, ravna, čista in zaščitena pred vlago ter očiščena vseh nečistoč (npr. oplask,..)
- Pri nanosu lepila dosledno upoštevajte navodila proizvajalcev lepil.
- Da zagotovite pravilno vgradnjo, priporočamo uporabo vodne tehnične.
- Glazirane porcelanske ploščice vgrajujte z največ 30% zamikom, nikoli s polovičnim oz. 50% zamikom.
- Za zatesnjevanje vseh robnih spojev na zidnih in talnih površinah je potrebno uporabiti sanitarni silikon. Posebej to velja pri polaganju talnih ploščic na spiralo talnega gretja, kjer po vključitvi talnega gretja prihaja do raztezanja materialov.
- Strokovnjak za polaganje keramičnih ploščic mora izbrati ustrezno velikost fug, da se zagotovi ustrezna struktura vzorca znotraj dovoljenih dimenzijskih odstopanj.
- Takoj po vgradnji keramičnih ploščic, preden se fugirna masa in lepilo zasušita, očistite površino keramičnih ploščic z gobico in čisto vodo. Nikoli ne uporabljajte trdih materialov, s katerimi bi lahko poškodovali površino keramičnih ploščic (kovinske lopatice, abrazivna čistilna sredstva,...). Vedno upoštevajte pravila, ki jih priporoča proizvajalec lepila.

Reklamacije

- Kupec je ob prevzemu dolžan preveriti ustreznost paketov. Za poškodovane izdelke, ki se poškodujejo med kasnejšim transportom ali pri nepravilnem rokovanju, ne priznavamo reklamacij.
- Reklamacije glede kakovosti, nianse ali neustreznih dimenzij mora kupec prijaviti pred vgradnjo.
- Reklamacija za vgrajene keramične ploščice se ne priznava, razen v primeru napak, ki jih z običajnim pregledom pri prevzemu ni bilo mogoče opaziti. V tem primeru lahko kupec reklamacijo prijavi v roku dveh mesecev od dneva, ko je bila napaka odkrita, oziroma v roku 2 let od dneva nakupa. Ob prijavi reklamacije je potrebno obvezno priložiti original račun o nakupu ploščic, original račun izvajalca storitve polaganja in kartonsko embalažo.
- Priporočamo, da kupec za primer reklamacije shrani vsaj eno keramično ploščico ter kartonsko embalažo.

Kupcu se reklamacija ne prizna, če:

- je nepravilnost na keramičnih ploščicah nastala zaradi njegovega neustreznega ravnanja;
- je keramične ploščice vgradila nestrokovna oseba;
- so bile keramične ploščice uporabljene na drug način, kot je njihov namen;
- niso bila upoštevana navodila in opozorila

NAVODILA IN NASVETI

Navodila za vzdrževanje in čiščenje

Če se ploščice ne morejo popolnoma očistiti, v tabeli navajamo primerna čistila za različne tipe umazanije.

Ko so ploščice položene in fugirane, je priporočljivo, da se s površine odstrani odvečno lepilo in fugirna masa. Čiščenje mora biti izvedeno v 24 urah po vgradnji (fugirna masa mora biti popolnoma posušena) in najkasneje 2 dni po vgradnji, ker je kasneje čiščenje oteženo.

TIP MADEŽA	ČISTILNA SREDSTVA
Olje, črnilo, marker pisalo, paradižnik, sadje, čokolada, maščoba	Organska topila: alkohol, razmaščevalno sredstvo, aceton, alkalni detergenti v tekočem stanju ali v obliki prahu bikarbonata
Katran, guma, krema za čevlje, barva, grafit, vosek, lak za nohte	Organska topila: alkohol, razmaščevalno sredstvo, aceton, alkalni detergenti v tekočem stanju ali v obliki prahu bikarbonata
Kava, sladoled, nikotin, vino	Alkalni detergenti v tekočem stanju ali v obliki prahu bikarbonata
Apno, cement, pivo, brezalkoholne pijače, sadni sokovi, vodni kamen	Kis, razredčena klorovodikova kislina
Lepilo, žvečilni gumi, odtis gume s podplata čevlja	Organska topila: alkohol, razmaščevalno sredstvo, aceton, razredčena klorovodikova kislina
Kri, jod	Oksidant: kisikova voda

Poškodbe na površini ploščic so običajno posledica uporabe:

- agresivnih čistilnih sredstev (visoka koncentracija),
- čistilnih sredstev, neprimernih za čiščenje keramičnih ploščic.

Nikoli ne uporabljajte čistil, ki so izdelana na osnovi fluorovodikove kisline ali njenih derivatov (izdelki za preprečevanje rje in sredstva za odstranjevanje madežev v spreju pogosto vsebujejo fluorovodikovo kislino). Fluorovodikova kislina na površini ploščic povzroči nepopravljivo škodo. Vse izdelke, ki so navedeni v tabeli, najdete v običajnih trgovinah in trgovskih centrih.

Splošno pravilo je, da višji razred drsnosti keramičnih ploščic pomeni težje čiščenje. Prosimo, da to upoštevate pri izbiri keramičnih ploščic.

Čiščenje dekornih keramičnih ploščic

Za doseganje elegantnega visokokakovostnega videza pri dekornih keramičnih ploščicah (sredinski dekorji, listeli) uporabljamo prefinjene tehnike z uporabo žlahtnih materialov (zlato, srebro, platina), zato zahtevajo posebno skrbnost tako pri vgradnji kot čiščenju.

Priporočamo, da za čiščenje uporabljate samo mehko krpo in vodo. Izogibajte se uporabi močnih, abrazivnih čistil tako pri čiščenju fugirne mase po končani vgradnji kot pri vsakodnevnem čiščenju.

Opomba

Dejanski izgled ploščic se lahko razlikuje od slik v tem katalogu. Ploščice, proizvedene s tehnologijo digitalnega dekoriranja, imajo različna lica. Kljub skrbnosti ne moremo zagotavljati, da objavljene informacije ne vsebujejo pomanjkljivosti ali napak. Pridržujemo si pravico do spremembe programa.

Vsebine, objavljene v tem katalogu, so v lasti družbe Gorenje Keramika d.o.o. in so v zakonsko dovoljenem okviru predmet avtorske zaščite ali druge oblike zaščite intelektualne lastnine. Navedene vsebine so lahko reproducirane le v nekomercialne namene in se jih ne sme spreminjati ali drugače uporabljati, razen tako, kot je določeno v tem besedilu. Vsebin (vključno s fotografijami), objavljenih v tem katalogu, se ne sme prepisovati, razmnoževati ali kako drugače razširjati v komercialne namene brez predhodnega izrecnega pisnega dovoljenja družbe Gorenje Keramika d.o.o..

Gorenje Keramika d.o.o. si pridržuje vse pravice do spremembe vsebin, objavljenih v tem katalogu.

INSTALLATION GUIDE AND ADVICE

Instructions and recommendations for Installation

- Before installation, check the caliber, shade and quality of the product.
- We recommend mixing tiles from various boxes to check the shades and calibers before installation.
- In order to prevent unwanted appearance of the installed tiles, we recommend arranging the tiles on a flat surface and proceed with installation only if you are satisfied with the resulting image.
- Read and follow the warnings printed on the cardboard box.
- Before installation, soak wall tiles in water.
- Use appropriate tools for installation of ceramic tiles (diamond blade cutter, square-notch trowel, white rubber mallet, tile nipper and rubber grout float).
- Make sure that the surface, onto which the tiles are to be installed, is flat, clean, protected against moisture and free from all impurities (e.g. paint).
- When applying the adhesive strictly follow the instructions of the adhesive manufacturer.
- To ensure correct installation, we recommend the use of a bubble level.
- Glazed porcelain tiles must be installed with a maximum of 30% offset, never with a 50% one.
- To seal all edge joints on wall and floor surfaces, bathroom silicone should be used. This is especially true in the case of installing ceramic tiles on top of the underfloor heating system, where expanding of materials occurs after the floor heating is turned on.
- A qualified tile installer should select proper dimension of the grouting, in order to ensure the proper structure of the pattern within the permitted discrepancies.
- Immediately after installation of the tiles, before the grouting material and adhesive are hardened, clean the surface of the tiles with sponge and clean water. Do not use hard materials which might cause damage to the surface of the tiles (metal trowels, abrasive cleaning agents...). Always follow the instructions provided by the manufacturer of the adhesive.

Complaints

- Upon acceptance, the buyer must inspect the boxes. Any damages which might be caused during the transport or incorrect handling, can not be subject to complaints.
- Complaints concerning the quality, shades or inadequate dimensions must be made before the tiles are installed.
- No complaints whatsoever can be made once the tiles are installed, except in case of a defect which could not have been identified with standard inspection upon acceptance. In that case, the buyer shall have the right to file the complaint within two months from the date of identifying the defect, or within 2 years after the date of purchase. Upon filing a complaint, an original purchasing invoice, the original invoice from the tile paver service and factory packaging must be enclosed.
- We recommend to the buyer to save at least one piece of the tiles and cardboard box for the case of complaint.

The complaint of the buyer shall not be considered legitimate in any of the following cases:

- If the defect/damage has been caused to the tile by the fault of the buyer's mishandling;
- If the ceramic tiles were not installed by a qualified tile installer;
- If the ceramic tiles were used in a manner other than recommended;
- In case of failure to observe the provided instructions and warnings.

INSTALLATION GUIDE AND ADVICE

Instructions for Maintenance and Cleaning

If you find the tiles hard to be cleaned, please refer to the table to find appropriate cleaning agents for different types of dirt.

Once the ceramic tiles are installed and grouted, we recommend cleansing any excess grouting mix from the surface of the installed tiles. The tiles must be cleansed within 24 hours after installation (the grouting mix must be fully dried) or within 2 days at latest after installation, later on, it will be extremely hard to remove the residues.

STAIN TYPE	CLEANING AGENTS
Oil, ink, felt pen, tomato, fruits, chocolate, grease	Organic solvents: alcohol, degreasing agent, acetone, liquid alkaline detergents or bicarbonate powder
Tar, rubber, shoe polish, colour, charcoal, wax, nail polish	Organic solvents: alcohol, degreasing agent, acetone, liquid alkaline detergents or bicarbonate powder
Coffee, ice cream, nicotine, wine	Liquid alkaline detergents or bicarbonate powder
Lime, cement, beer, soft-drinks, fruit juices, limescale	Vinegar, diluted hydrochloric acid
Glue, chewing gum, marks from rubber soles	Organic solvents: alcohol, degreasing agent, acetone, diluted hydrochloric acid
Blood, iodine	Oxidizing agent: Oxygenated water

Damages to the surface of the ceramic tiles are usually the consequence of using any of the following agents:

- Aggressive cleaning agents (heavily concentrated),
- Cleaning agents which are not appropriate for ceramic tiles.

Never use cleaning agents made on the basis of hydrofluoric acid or its derivatives (e.g. rust control products or stain removal sprays often contain hydrofluoric acid). Hydrofluoric acid will cause irreparable damage to the surface of the tile. All products listed in the Table are available in stores.

As a general rule, the higher the slip resistance class, the harder is cleaning. Please take into account this fact when selecting the right tile for your intended use.

Cleaning of Decorating Tiles

To assure the elegant high-end appearance of the decorative tiles (central decors, listello tiles), we use sophisticated technique using precious material (gold, silver, platinum), therefore those tiles require special care in installation and cleaning.

We recommend cleaning with cloth and water only. Do not use aggressive, coarse cleaning agents, either for removal of grout residues after installation or for regular daily cleaning.

Note:

Actual visual appearance of the ceramic tiles may differ from the pictures shown in this brochure. The tiles manufactured with the technology of digital decorating have different face sides. In spite of taking great care, we cannot guarantee that the technical characteristics will not contain any errors. We reserve the right to make changes to the product range.

Contents published in this brochure are the property of the company Gorenje Keramika d.o.o. and are under applicable law copyright protected or are subject to protection of intellectual rights. The content may be reproduced only for non-commercial purpose and must not be modified or used in any way other than recommended in this document. The content (including photographs published in this brochure) may not be copied, reproduced or any other way communicated to commercial purpose without previous explicit consent of the company Gorenje Keramika d.o.o..








Gorenje Keramika d.o.o. reserves the right to changes made to the content published in this brochure.

PRIPOROČENI NAČINI POLAGANJA

Laying Solutions

Predlog za polaganje glaziranih porcelanskih ploščic.
Suggestion on installation of glazed porcelain tiles.

Priporočamo polaganje ploščic z največ 30% zamikom in nikoli s polovičnim oz. 50% zamikom.
We recommend installing tiles with a maximum of 30% offset and never with a 50% one.



Pri vgradnji glaziranih porcelanskih ploščic priporočamo uporabo izravnalnega sistema.

Nudimo široko paleto formatov. Po najnovejših trendih v keramiki, dimenzije ploščic postajajo vse večje. Prednost glaziranih porcelanskih ploščic je v materialu, ki omogoča veliko večjo prožnost, hkrati pa ohranjata trdnost. Na trgu obstajajo posebni vgradni sistemi za enostavnejšo namestitev te vrste izdelka. S temi sistemi je mogoče premagati neenakost tal in uravnati ukrivljenost kosov, zato Gorenje Keramika za popolna tla predlaga uporabo izravnalnega sistema s katerim pridobimo na času in se izognemo nepravilnostim v tleh.

We recommend the use of a leveling system when installing glazed porcelain tiles.

We offer a wide range of formats. Following the latest trends in flooring, the formats are getting larger.

The advantage of glazed porcelain tiles is that they have a much greater flexibility while maintaining the values of hardness and breaking strength. They are specific fitting systems on the market for easier installation of this type of product. With these systems, we are able to overcome the unevenness of the floor and accommodate the curvature of the pieces getting a much flatter surface. Gorenje Keramika recommends the use of a leveling system to optimize installation time, avoid irregularities in the floor and get a perfect finish.







LOGISTIČNI PODATKI






Logistic Data

Pakiranje gotovih izdelkov
Packing of Finished Products







Stenske ploščice Skupina BIII / Wall Tiles Group BIII

OPIS Description								
	cm	mm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
	25x75	9,2	8	1,50	23,30	42	63,00	980
	25x60	9,0	9	1,35	20,60	64	86,40	1.320
	20x50	8,5	18	1,80	26,80	44	79,20	1.180


Stenske ploščice - 3D / Wall Tiles - 3D

OPIS Description								
	cm	mm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
	25x75	10,5	7	1,31	21,70	28	36,68	620
	25x60	10,0	8	1,20	19,90	32	38,40	620

Stenske ploščice - DC dekorji / Wall Tiles - DC Decors

OPIS Description								
	cm	mm	kos / pcs	m ² / Mq	kg	paketov / boxes	m ² / Mq	kg
	25x75	9,2	8	1,50	21,70	28	42,00	620
	25x60	9,0	9	1,35	20,00	32	43,20	620
	20x50	8,5	18	1,80	26,80	22	39,60	590
		20x50	8,5	15	1,50	22,30		

Glazirane porcelanske ploščice Skupina BI_a / Glazed Porcelain Tiles Group BI_a





OPIS Description								
	cm	mm	kos / pcs	m ² / Mq	kg	paketov boxes	m ² / Mq	kg
	22,5x90	8,8	6	1,215	23,10	54	65,610	1.250
	30x60	8,8	7	1,26	22,20	60	75,60	1.330
	58,5x58,5	9	4	1,369	26,60	32	43,808	850

LOGISTIČNI PODATKI




Logistic Data

Pakiranje gotovih izdelkov Packing of Finished Products

Stenske ploščice - Listela / Wall tiles - Listello - L

OPIS Description					
	cm	mm	kos / pcs	m	kg
	5x50	8,4	12	6,00	5,00
	4,5x60	9,0	12	7,20	5,80
	5x60	9,0	12	7,20	6,00

Stenske ploščice - Mozaik 1 / Wall tiles - Mosaic 1

OPIS Description					
	cm	kos / pcs	m ² / Mq	kg	
	30x30	11	0,98	14,50	


DODATNE INFORMACIJE

Additional Information

Tehnični načrt mozaikov Technical Design for Mosaics



Mosaic 1



gorenje KERAMIKA

Gorenje Keramika, d.o.o.

Sedež/Headquarters: Partizanska cesta 12, 3320 Velenje, Slovenija

Lokacija/Location: Gorenje 1/b, 3327 Šmartno ob Paki, Slovenija

T: +386 (0)3 896 61 10

F: +386 (0)3 896 61 13

E: keramika@gorenje.com

W: <https://www.keramika-gorenje.si/>
<https://ceramics-gorenje.com/>

Industrijska prodajalna Šmartno ob Paki

Gorenje 1/b,

3327 Šmartno ob Paki, Slovenija

T: +386 (0)3 896 61 27

F: +386 (0)3 896 61 13

E: ip.keramika.gorenje@gorenje.com

Industrijska prodajalna Ljubljana

Plemljeva 2

1210 Ljubljana-Šentvid, Slovenija

T: +386 (0)1 512 48 71

F: +386 (0)1 516 15 57

E: ip.keramika.ljubljana@gorenje.com

Prodajni salon Lenapark

Ob Poleni 35 (Lenapark)

2230 Lenart v Slovenskih goricah, Slovenija

T: +386 (0)2 292 79 86, +386 (0)2 292 79 87

F: +386 (0)2 292 79 88

E: ps.keramika.lenart@gorenje.com

2. izdaja, avg. 2023 | 2nd edition, Aug. 2023

Dejanski izgled ploščic se lahko razlikuje od slik v tem katalogu. Ploščice, proizvedene s tehnologijo digitalnega dekoriranja, imajo različna lica. Kljub skrbnosti ne moremo zagotavljati, da objavljene informacije ne vsebujejo pomanjkivosti ali napak. Pridržujemo si pravico do spremembe programa.

Vsebine, objavljene v tem katalogu, so v lasti družbe Gorenje Keramika d.o.o. in so v zakonsko dovoljenem okviru predmet avtorske zaščite ali druge oblike zaščite intelektualne lastnine. Navedene vsebine so lahko reproducirane le v nekomercialne namene in se jih ne sme spreminjati ali drugače uporabljati, razen tako, kot je določeno v tem besedilu. Vsebin (vključno s fotografijami), objavljenih v tem katalogu, se ne sme prepisovati, razmnoževati ali kako drugače razširjati v komercialne namene brez predhodnega izrecnega pisnega dovoljenja družbe Gorenje Keramika d.o.o. Gorenje Keramika d.o.o. si pridržuje vse pravice do spremembe vsebin, objavljenih v tem katalogu.

Actual visual appearance of the ceramic tiles may differ from the pictures shown in this book. The tiles manufactured with the technology of digital decorating have different face sides. In spite of taking great care, we cannot guarantee that the technical characteristics will not contain any errors. We reserve the right to make changes to the product range.

Contents published in this book are the property of the company Gorenje Keramika d.o.o. and are under applicable law copyright, protected or are subject to protection of intellectual rights. The content may be reproduced only for non-commercial purpose and must not be modified or used in any way other than recommended in this document. The content (including photographs published in this brochure) may not be copied, reproduced or any other way communicated to commercial purpose without previous explicit consent of the company Gorenje Keramika d.o.o.

Gorenje Keramika d.o.o. reserves the right to changes made to the content published in this book.

COLLECTIONS BOOK

Gorenje Keramika, d.o.o.

Sedež / Headquarters: Partizanska cesta 12, 3320 Velenje, Slovenija

Lokacija / Location: Gorenje 1/b, 3327 Šmartno ob Paki, Slovenija

T: +386 (0)3 896 61 10

F: +386 (0)3 896 61 13

E: keramika@gorenje.com

W: <https://www.keramika-gorenje.si/>
<https://ceramics-gorenje.com/>

